Electronics Letters

INDEX VOLUME 10 1974

Computer-program descriptions

Akhtarzad, S., and Johns, P.B. Numerical solution of lossy waveguides: t.l.m. computer program 309
Almaini, A.E.A., and Woodward, M.E. Computer program for s.p. partitions of sequential machines 445

Author index

A

Aatre, V.K., and Bapeswara Rao, V.V. (see Bapeswara Rao, V.V.)
Adachi, Y., Sakai, K., Ikoma, T., and Yanai, H. (see Sakai, K.)
Adams, M.J., Grundorfer, S., and Thomas, B. (see Grundorfer, S.)
Agrawal, D.P. Fast b.c.d./binary adder/subtractor 121 Errata 232
Agrawal, D.P. Fast b.c.d. multiplier 237 Errata 328 348
Agrawal, D.P. Negabinary carry-look-ahead adder and fast multiplier 312 Errata 468
Agrawal, D.P. Negabinary complex-number multiplier 502
Ahmew, Y.H., and Yip, G.L. (see Yip, G.L.)
Aitchison, C.S. Gunn-oscillator electronic tuning range and reactance compensation: an experimental result at and 488
Aitchison, C.S. Method of improving tuning range obtained from a varactor-tuned Gunn oscillator 94
Akaiwa, Y., Noguchi, T., and Katoh, H. (see Noguchi, T.)
Akhtarzad, S., and Johns, P.B. Numerical solution of lossy waveguides: t.l.m. computer program (Computer Program Description) (Computer-program description) 309
Akhtarzad, S., and Johns, P.B. Solution of 6-component electromagnetic fields in three space dimensions and time by the t.l.m. method 535
Al-Badwaihy, K.A. Duoconical monopole 199
Al-Bandar, Z., and Farrell, P.G. (see Farrell, P.G.)
Al-Hariri, A.M.B., Olver, A.D., and Clarricoats, P.J.B. Low-attenuation properties of corrugated rectangular waveguide 304
Al-Hariri, A.M.B., Clarricoats, P.J.B., and Olver, A.D. (see Clarricoats, P.J.B.)
Aleksander, I., and Fairhurst, M.C. (see Fairhurst, M.C.)
Aleksander, I., and Stoneham, T.J. (see Stoneham, T.J.)
Aleksander, I., and Wilson, M.J.D. (see Wilson, M.J.D.)
Allen, J.L., and Barnes, W.J. Unequal coupled-mode-velocity C section filters 128
Allnutt, J.E., and Hall, J.E. Site-diversity advantage for satellite communication at 11.6 GHz 527
Almaini, A.E.A., and Woodward, M.E. Computer program for s.p. partitions of sequential machines (Computer Program Description) (Computer-program description) 445
Ambridge, T., and Faktor, M.M. Electrochemical technique for the continuous automatic plotting of semiconductor donor concentration over large depths 204
Anderson, A.P., and Phua, K.T. Radiation signature of buried line radiators 433
Anderson, J.B. Optimal signalling of demand in a demand-assigned multiple-access communication system 270
Anderson, J.H., and Aplevich, J.D. (see Aplevich, J.D.)
Andresen, S., and Ramstad, T.A. (see Ramstad, T.A.)
Aniagyei, H.M., and May, E.J.P. (see May, E.J.P.)
Aplevich, J.D., and Anderson, J.H. Algebraic method for closed-loop deadbeat control 222
Arbabi, M., and Watson, P.A. (see Watson, P.A.)
Arena, L., and Cassara, F.A. Evaluation of the time distribution of t.v. frame-difference elements 205
Arlett, P., and John, S. (see John, S.)
Arnaud, J.A. Electromagnetic propagation along contacting dielectric tubes 269
Ashburn, P., and Morgan, D.V. (see Morgan, D.V.)
Atherton, D.P. Inverse random describing function 82
Attikiouzel, J., and Holt, A.G.J. (see Holt, A.G.J.)
Auvray, J., Pyee, M., and Clairon, A. (see Pyee, M.)
Azema, P., and Courvoisier, M. (see Courvoisier, M.)

B

Baert, D., and Vanwormhoudt, M.C. (see Vanwormhoudt, M.C.)
Baker, P.W. D.D.A. register transfers for 3rd-order Kutta integration 223 Errata 368
Bakken, D.W., and Meyer, P.C. Sidelobe reduction in reflective s.a.w. pulse compressors without external filtering filtering, sidelobe reduction in 278
Bakowski, M. Experimental verification of inhomogeneous field distribution in negatively bevelled high-voltage p-n junctions by means of photomultiplication 292
Baldwin, G.L., and Coldren, L.A. Acoustic-surface-wave analogue-digital convertor 225
Bandyopadhyay, A.K. New type of variable-frequency RC oscillator 180
Banerjee, D.K., and Neelakantaswamy, P.S. (see Neelakantaswamy, P.S.)
Bapeswara Rao, V.V., and Aatre, V.K. Meshstar transformation 73
Barker, R.W.J., and Hart, B.L. A.C.-coupled probe technique for very-low-frequency operation 336
Barker, R.W.J., and Hart, B.L. Root-law circuit using monolithic bipolar-transistor arrays 439
Barnes, J.J., and Lomax, R.J. Two-dimensional finite element simulation of semiconductor devices 341
Barnes, W.J., and Allen, J.L. (see Allen, J.L.)
Bastide, G., Sagnes, G., and Rouzeyre, M. Parametric amplification of acoustic surface waves on CdS 442
Batt, R.J., Bradley, H.L., and Harris, D.J. Measurement of attenuation and change of refractive index due to water vapour in the atmosphere at 890 GHz 470
Batt, R.J., Doswell, A., and Harris, D.J. Waveguide attenuation measurements at 890 GHz 145
Beales, K.J., Newns, G.R., and Duncan, W.J. (see Newns, G.R.)
Beck, A.H.W. Collisional series resistance in electron beams 256
Beck, A.H.W., and Caldwell-Nichols, C.J. Oscillator for 2 mm waveband 171
Behich, A., and Jones, B.E. (see Jones, B.E.)
Bell, D.A. Comment on low-frequency noise in incandescent tungsten filaments 368 369
Bell, R.R., Thirlwell, J., and McPherson, J. (see Thirlwell, J.)
Bellini, S., and Tartara, G. Noise immunity for continuous-phase pulse-frequency modulation in the presence of low-intensity noise 515
Beneking, H., Schul, G., Mischel, P., and Gattung, A. GaAs-GaAlAs anti-stokes light convertor 346
Benko, E., Obah, C.O.G., Midford, T.A., Bowers, H.C., and Chao, P.Y. (see Obah, C.O.G.)
Bennett, L.A.M. Flip-flops in functional memory 177
Bennetts, R.G., and Prior, A.C. (see Prior, A.C.)
Bennewitz, F.O.M., Downing, O.J., and Gardiner, J.G. (see Downing, O.J.)
Berenz, J.J., Ying, R.S., and Lee, D.H. C.W. operation of ion-implanted GaAs Read-type IMPATT diodes 157
Bertrand, P., and Ismail, M.S. (see Ismail, M.S.)
Bhar, R., and Majithia, J.C. (see Majithia, J.C.)
Bhave, S.S., Damle, S.H., and Prasad, S.M. Design considerations for shaped-beam reflectors 457
Bialko, M., and Mulawka, J. (see Mulawka, J.)
Bin Nun, M.A., and Woodward, M.E. Halfadders modulo 2^n using read-only memories 213
Binham, R.F., James, J.R., and Schuler, A.J. (see James, J.R.)
Blachman, N.M. Dynamic f.m.-discriminator distortion 185
Blachman, N.M., and Roberts, J.H. F.M. click rates: a simple derivation 305
Black, P.W., Irven, J., Byron, K., Few, I.S., and Worthington, R. Measurements on waveguide properties of GeO_2-SiO_2-cored optical fibres 239
Black, P.W., and Stewart, C.E.E. (see Stewart, C.E.E.)
Blakey, P.A., Culshaw, B., and Giblin, R.A. Efficiency enhancement in avalanche diodes by depletion-region-width modulation 435
Blaser, H., and Braun, F. (see Braun, F.)
Boite, R., Dubois, H., and Leich, H. Optimisation of digital filters in the discrete space of coefficients 179
Boot, H.A.H., and Castledine, J.G. Pyroelectric thermal image tube 452
Borisov, M.I., Stojanov, D.V., Veikov, V.V., and Burov, J.I. Electrically controlled acoustic-surface-wave filters 519
Borrego, J.M., Gutmann, R.J., and Geipel, H.J. Effect of leakage current on the power output of S band TRAPATT oscillators 277
Boswell, A., and Wood, P.J. (see Wood, P.J.)
Bounden, J.E., and Tomlinson, M.J. C.C.D. Chebyshev filter for radar m.t.i. applications 89
Bowers, H.C., Obah, C.O.G., Benko, E., Midford, T.A., and Chao, P.Y. (see Obah, C.O.G.)
Braddock, P.W., Hodges, R.D., and Genner, R. Silicon IMPATT cascaded amplifier: 6 W (c.w.) at 9.6 GHz 538
Bradley, H.L., Batt, R.J., and Harris, D.J. (see Batt, R.J.)
Bradley, P.A. Computer procedure for deriving ionospheric characteristic M(3000)F2 from h (f) data 323
Brain, M.C., and Dyott, R.B. (see Dyott, R.B.)
Braun, F., and Blaser, H. Digital hardware for approximating to the amplitude of quadrature pairs 255
Bridger, A., and Dakss, M.L. (see Dakss, M.L.)
Bridoux, E., Rouvaen, J.M., and Gremillet, N. (see Rouvaen, J.M.)
Brittle, D.G. Notation describing the fault-related behaviour of logic modules 215 Errata 288
Brooking, N., Clarricoats, P.J.B., and Olver, A.D. Radiation patterns of pyramidal dielectric waveguides 33
Brown, A.W., Miller, A.J., and Mars, P. (see Miller, A.J.)

Brussaard, G. Rain-induced crosspolarisation and raindrop canting 411
Bullimore, E.D., Downing, B.J., and Myers, F.A. Frequency-stable pulsed Gunn oscillators 220
Bura, P. Operation of 6 GHz F.E.T. amplifier at reduced ambient temperature 181
Burgess, J.W., and Topolevsky, R. (see Topolevsky, R.)
Burov, J.I., Borisov, M.I., Stojanov, D.V., and Veikov, V.V. (see Borisov, M.I.)
Burris, F.E. Design of minimum-phase digital filters from linear-phase prototype 69
Byron, K., Black, P.W., Irven, J., Few, I.S., and Worthington, R. (see Black, P.W.)

C

Cabus, M., Lagasse, P.E., Chambers, J.C., and Mason, I.M. Wedge-wave transduction by means of interdigital electrodes 97
Cahit, I., and Cahit, R. Generation of simple paths of graph by decomposition 13
Cahit, R., and Cahit, I. (see Cahit, I.)
Caiminade, J., and Graffeuil, J. (see Graffeuil, J.)
Caldwell-Nichols, C.J., and Beck, A.H.W. (see Beck, A.H.W.)
Can, S. Synthesis of transfer functions by dependent sources 283
Can, S. Synthesis of transfer functions by signal-flow graphs 333
Canali, C., Majni, G., Minder, R., and Ottaviani, G. Electron-drift-velocity measurements in silicon at high temperatures and their empirical relation to electric field 523
Carroll, J.E., and Winstanley, A.M. (see Winstanley, A.M.)
Cassara, F.A., and Arena, L. (see Arena, L.)
Castellani, V., Presti, L.L., and Pent, M. Performance of multilevel d.c.p.s.k. system in the presence of both interchannel and intersymbol interference 111
Castledine, J.G., and Boot, H.A.H. (see Boot, H.A.H.)
Cattermole, K.W. Digital transmission by frequency-shift keying with zero intersymbol interference 349
Cawsey, D. Linear antenna arrays with broadened nulls 291
Chakrabarti, N.B., and Gangopadhyay, R. Performance of a differential coincidence-type self bit synchroniser at low s.n.r. 190
Chambers, J., Mason, I.M., and Papadofrangakis, E. (see Mason, I.M.)
Chambers, J.C., Cabus, M., Lagasse, P.E., and Mason, I.M. (see Cabus, M.)
Chang, D.C., and Olsen, R.G. (see Olsen, R.G.)
Chao, P.Y., Obah, C.O.G., Benko, E., Midford, T.A., and Bowers, H.C. (see Obah, C.O.G.)
Cheng, Y.C., and Westwood, W.D. Novel technique of making graded-refractive-index slab waveguides 315
Chesswas, M., Roberts, J.B.G., and Eames, R. (see Roberts, J.B.G.)
Chia, T.S., Tjhung, T.T., Wee, B.L., and Tan, O.H. (see Tjhung, T.T.)
Chu, P.L. Mode conversion due to tilts in multimode optical fibre 459
Chubachi, N., Kondo, M., Ohta, Y., Saito, F., Sasaki, H., and Koizumi, K. (see Kondo, M.)
Citerne, J., Druelle, Y., and Raczy L. (see Druelle, Y.)
Claasen, T., and Kristiansson, L. Improvement of overflow behaviour of 2nd-order digital filters by means of error feedback 240
Clairon, A., Pyee, M., and Auvray, J. (see Pyee, M.)
Clark Bell, H., Jun. Canonical lowpass prototype network for symmetric coupled-resonator bandpass filters 265
Clarricoats, P.J.B., Olver, A.D., and Al-Hariri, A.M.B. Dielectric waveguides for millimetre-wavelength transmission 1
Clarricoats, P.J.B., Olver, A.D., and Parini, C. Radiation method for the measurement of mode-conversion levels 525
Clarricoats, P.J.B., Al-Hariri, A.M.B., and Olver, A.D. (see Al-Hariri, A.M.B.)
Clarricoats, P.J.B., Brooking, N., and Olver, A.D. (see Brooking, N.)
Cobbold, R.S.C., and El-Sissi, H. (see El-Sissi, H.)
Cohen, E.L., Yip, P.W., and Shiva, S.G.S. (see Yip, P.W.)
Coldren, L.A., and Baldwin, G.L. (see Baldwin, G.L.)
Cole, T.W. Pulse compression using the magnetic-delay-line processor 498
Coles, J.M., and Smith-Saville, R.J. High-repetition-rate step-recovery-diode monostable circuits 417
Collier, R.J., and White, P.D. Attenuation measurement of dielectric waveguide 526
Colliver, D.J., Irving, L.D., Pattison, J.E., and Rees, H.D. High-efficiency InP transferred-electron oscillators 221
Constantinides, A.G. Alternative approach to design of wave digital filters 59
Constantinides, A.G., and Hashim, A.A. (see Hashim, A.A.)
Coolen, L., Dijk, J., and Maanders, E.J. (see Dijk, J.)
Corlett, R.M., Griffith, I., and Purcell, J.J. Indium-phosphide c.w. transferred-electron amplifiers 307
Costea, I., and Dascalu, D. Numerical analysis of electric field inside mesa p^+-n-n^+ avalanche diodes 129
Courvoisier, M., and Azema, P. Machines sequentielles asynchrones fonctionnant en mode appel/reponse (Asynchronous sequential machines with request/acknowledge operating mode) 8
Craven, G. Waveguide filters using high-impedance mode conversion/reconversion 216
Craven, G., and Lush, D.M. Surface-acoustic-wave rejection filters using mode conversion/reconversion 218
Croom, D.L., and Davies, P.G. (see Davies, P.G.)
Cullen, A.L. Phase-interpolation locking: new technique for beam-steered active antennas 81
Culshaw, B. Effect of carrier diffusion on operation of avalanche diodes 143
Culshaw, B., and Giblin, R.A. Effect of velocity/field characteristics on the operation of avalanche diode oscillators 285
Culshaw, B., and Giblin, R.A. High-efficiency microwave oscillations that use new 4-layer structure 27
Culshaw, B., Blakey, P.A., and Giblin, R.A. (see Blakey, P.A.)
Cunningham, S.L., Sharon, T.M., and Maradudin, A.A. (see Sharon, T.M.)
Cuthbert, L.G. Nonrecursive digital filters with crescent ripple 397
Cutteridge, O.P.D. Powerful 2-part program for solution of nonlinear simultaneous equations 182
Cutteridge, O.P.D., and Di Mambro, P.H. Some examples demonstrating feasibility of evolutionary approach to linear-network synthesis 30

D

D'Attellis, C.E. Realisability of active scattering operator 286
Daikoku, K., and Tamama, T. Multiphase oscillator and multivibrator using improved unijunction transistors 523
Daikoku, K., and Sakaue, M. (see Sakaue, M.)
Dakss, M.L., and Bridger, A. Plug-in fibre-to-fibre coupler 280 Errata 392
Daley, J.D. Improved phase-lock-loop performance at medium to low s.n.r. 365
Damle, S.H., Bhave, S.S., and Prasad, S.M. (see Bhave, S.S.)
Daniels, A.R., and Slattery, D. Class-ABD amplifier 364
Danilović, D.Z., Veselinović, D.I., and Sõbajić, M.V. Miller long-duration sweep generator 152
Das, B.N., and Sinha, M. (see Sinha, M.)
Dascalu, D., and Costea, I. (see Costea, I.)
Davidson, A.M., and Lucas, T.N. Linear-system reduction by continued-fraction expansion about a general point 271
Davies, D.E.N., and Kingsley, S. Method of phase-modulating signals in optical fibres: application to optical-telemetry systems 21
Davies, J.B., and Razaz, M. (see Razaz, M.)
Davies, P.G., and Croom, D.L. Diversity measurements of attenuation at 37 GHz with solar-tracking radiometers 482
Davies, W.S. Significance of leaky rays in liquid-filled optical fibres 426
Davies, W.S., and Kidd, G.P. Bandwidth results for liquid-core optical fibres 406
Davis, L.E., and Varney, J.C. (see Varney, J.C.)
Day, C.R., Midwinter, J.E., Newns, G.R., Uffen, R.W.J., and Worthington, R. Optical properties of sodium-borosilicate glass fibres 450
Decreton, M.C. Analysis of open structures by finite-element resolution of equivalent closed-boundary problem 43
Defranould, P., and Maerfeld, C. Acoustic convolver using multistrip beamwidth compressors 209
Dehmel, G., and Lukoschus, D. Phase shifter with high amplitude accuracy 22
Del Monte H.W. Simple technique for displaying periodically jittered binary waveforms 52 Errata 164
Delagebeaudeuf, D. Low-voltage punchthrough injection structure 166
Delashmit, W.H., Jun., and Webber, R.F. (see Webber, R.F.)
Delfs, H., and Haupt, G. (see Haupt, G.)
Dervisoglu, B.I., and Sholl, H.A. Designing synchronous circuits with partial asynchronous operation using clocked flip-flops with d.c. inputs 287
Devries, A.J. Spurious coupling between length-weighted transducers acoustically connected by means of a multistrip coupler 172
Di Mambro, P.H., and Cutteridge, O.P.D. (see Cutteridge, O.P.D.)
Dijk, J., Coolen, L., and Maanders, E.J. Reply to comment on calculation of the radiation patterns of reflector antennas using Kirchhoff integration 184
Doswell, A., Batt, R.J., and Harris, D.J. (see Batt, R.J.)
Dowling, G.R., and Hall, M.P.M. (see Hall, M.P.M.)
Downing, B.J., Bullimore, E.D., and Myers, F.A. (see Bullimore, E.D.)
Downing, O.J., Bennewitz, F.O.M., and Gardiner, J.G. Parametric upconvertor as low-noise i.f. amplifier for microwave mixers 138
Dragan Pantic Application of digital lineariser with cycle counter to thermocouples 19
Dragovič, M.B., and Popovic, B.D. (see Popovic, B.D.)
Druelle, Y., Citerne, J., and Raczy L. New method for measuring dielectric properties of liquids with a microslotline 117
Dubois, H., Boite, R., and Leich, H. (see Boite, R.)
Duncan, W.J., Newns, G.R., and Beales, K.J. (see Newns, G.R.)
Dunning-Davies, J., and Stephenson, F.W. Analytical realisation of e.v.c.-a.r.c. networks 103
Dyott, R.B., and Brain, M.C. Refractive-index profiles for diffused glass fibres 131
Dyott, R.B., and Stevenson, J.L. (see Stevenson, J.L.)

E

Eames, R., Roberts, J.B.G., and Chesswas, M. (see Roberts, J.B.G.)
Edwards, J.B., and Owens, D.H. (see Owens, D.H.)
El-Shirbeeny, E.H.T., Murray-Smith, D.J., and Winning, D.J. Technique for direct evaluation of parameter sensitivity functions 530
El-Sissi, H., and Cobbold, R.S.C. Buried-channel c.c.d. models based on a 1-dimensional analysis 198 Errata 408
Enander, B., and Larson, G. Microwave radiometric measurements of the temperature inside a body 317
Endersz, G. Intermodulation in an f.m. oscillator injection locked by an f.m. signal 432
Engan, H. High-frequency operation of surface-acoustic-wave multielectrode transducers 395
Evans, A.G.R., and Houston, P.A. (see Houston, P.A.)
Evans, B.G., and Kernot, R.J. (see Kernot, R.J.)

F

Fairhurst, M.C., and Aleksander, I. Sequence recognition with an adaptive-logic network 339
Faktor, M.M., and Ambridge, T. (see Ambridge, T.)
Falciasecca, G. Finite-difference equations in circular-waveguide coupling problems 18
Faldella, E., and Iuculano, G. Mathematical model with minimum number of independent coefficients for transistors for high frequencies 26
Farrag, A., and Farrell, P.G. (see Farrell, P.G.)
Farrell, P.G., and Al-Bandar, Z. Multilevel single-error-correcting codes 347 Errata 408
Farrell, P.G., and Farrag, A. Further properties of linear binary anticodes 340
Felsen, L.B. Rays and modes in optical fibres 95
Few, I.S., Black, P.W., Irven, J., Byron, K., and Worthington, R. (see Black, P.W.)
Fisher, D.G., Shah, S.L., and Seborg, D.E. (see Shah, S.L.)
Flynn, G.T., and Melngailis, J. (see Melngailis, J.)
French, R.C., and Mitchell, R.F. Class of nonorthogonal transformations for signal processing 78
Frey, J., and Maloney, T.J. (see Maloney, T.J.)
Froess, P., and Ludvik, S. (see Ludvik, S.)
Fujimoto, M., Kurumada, K., and Mizutani, T. (see Kurumada, K.)
Fuschillo, N., Lalevic, B., Wang, W., and Kuliyeg, B. (see Lalevic, B.)

G

Gambling, W.A., Payne, D.N., and Matsumura, H. Pulse dispersion for single-mode operation of multimode cladded optical fibres 148
Gambling, W.A., Payne, D.N., Matsumura, H., and Medlicott, M. Optical fibres and the Goos-Hanchen shift 99
Gambling, W.A., and Payne, D.N. (see Payne, D.N.)
Gandhi, O.P., Ulmer, D.H., and Grow, R.W. (see Ulmer, D.H.)
Gangopadhyay, R., and Chakrabarti, N.B. (see Chakrabarti, N.B.)
Garault, Y., and Guillon, P. Meilleure approximation pour la determination des frequences de resonance des resonateurs dielectriques cylindriques (Best approximation for design of natural resonance frequencies of microwave dielectric disc resonators) 505

Garault, Y., and Villotte, J.P. Second-order approximation for the design of broadband couplers using nonuniform lines 514
Gardiner, J.G., Downing, O.J., and Bennewitz, F.O.M. (see Downing, O.J.)
Gardiner, J.G., Palamutcuoglu, O., and Howson, D.P. (see Palamutcuoglu, O.)
Garland, B., and Marshall, J.E. Sensitivity considerations of Smith's method for time-delay systems 308
Gates, J.L., and White, R.M. Surface-acoustic-wave phase shifter using electrical depolarisation 231
Gattung, A., Beneking, H., Schul, G., and Mischel, P. (see Beneking, H.)
Geckeler, S., and Schicketanz, D. Enhancement of bandwidth and additional loss caused by controlled mode coupling in quartz fibres 465
Geipel, H.J., Borrego, J.M., and Gutmann, R.J. (see Borrego, J.M.)
Genner, R., Braddock, P.W., and Hodges, R.D. (see Braddock, P.W.)
Gibbins, C.J. Tropospheric emission and attenuation statistics at 110 GHz 241
Giblin, R.A., Blakey, P.A., and Culshaw, B. (see Blakey, P.A.)
Giblin, R.A., and Culshaw, B. (see Culshaw, B.)
Gllowacki, J. Thermodynamic theory of telecommunication 35
Glover, J. Basic T matrix patterns for 2-port linear transformation networks in the real domain 495
Goethals, J.M. Two dual families of nonlinear binary codes 471
Goknar, I.C. New transformations in signal-flow graphs extended to multi-inputs 228
Gooch, C.H., and Tarry, H.A. Optical characteristics of twisted nematic liquid-crystal films 2
Goodman, R.M.F. Binary codes with disjoint codebooks and mutual Hamming distance 390
Goronkin, H. Low/high-profile TRAPATT structure 400
Graffeuil, J., and Caiminade, J. Low-frequency noise in GaAs Schottky-gate f.e.t.s. 266
Gray, G.W., Harrison, K.J., Nash, J.A., and Raynes, E.P. New cholesteric liquid crystals for displays Errata 60
Gremillet, N., Rouvaen, J.M., and Bridoux, E. (see Rouvaen, J.M.)
Grierson, J.R., and O'Hara, S. (see O'Hara, S.)
Griffith, I., Corlett, R.M., and Purcell, J.J. (see Corlett, R.M.)
Groves, I.G., Speight, J.D., Leigh, P., McIntyre, N., O'Hara, S., and Hemment, P. (see Speight, J.D.)
Grow, R.W., Ulmer, D.H., and Gandhi, O.P. (see Ulmer, D.H.)
Grubin, H.L. Bias-dependent oscillations in 10 μm-long transferred-electron oscillators 371
Grundorfer, S., Adams, M.J., and Thomas, B. New theory of internal Q switching in semiconductor lasers 354 Errata 424
Guile, A.E., Rageh, M.S.I., and Morgan, D.V. (see Rageh, M.S.I.)
Guillon, P., and Garault, Y. (see Garault, Y.)
Gutmann, R.J., Borrego, J.M., and Geipel, H.J. (see Borrego, J.M.)

H

Hall, J.E., and Allnutt, J.E. (see Allnutt, J.E.)
Hall, M.P.M., and Dowling, G.R. Effect of rain on 4 GHz troposcatter radio paths 210
Hamakawa, Y., and Tanaka, K. (see Tanaka, K.)
Hannah S., Hartnagel, H., and Kennair, J.T. Continuous monitor of dangerous levels of microwave power 274
Hansen, O., and Rebild, D. Time-axis conversion with bucket-brigade delay lines 244
Harden, B.N., Norbury, J.R., and White, W.J.K. Model of intense convective rain cells for estimating attenuation on terrestrial millimetric radio links 483
Harris, D.J., Batt, R.J., and Bradley, H.L. (see Batt, R.J.)
Harris, D.J., Batt, R.J., and Doswell, A. (see Batt, R.J.)
Harris, L.A., and Kinard, J.R. (see Kinard, J.R.)
Harrison, K.J., Gray, G.W., Nash, J.A., and Raynes, E.P. (see Gray, G.W.)
Hart, B.L., and Barker, R.W.J. (see Barker, R.W.J.)
Hartemann, P. Surface-acoustic-wave guidance produced by ion implantation in quartz 110
Hartnagel, H., Hannah S., and Kennair, J.T. (see Hannah S.)
Hartnagel, H., Sebestyen, T., and Herron, L.H. (see Sebestyen, T.)
Harvey, J.T. High-speed m sequence generation 480
Hashim, A.A., and Constantinides, A.G. Some new results on binary linear block codes 31
Haupt, G., and Delfs, H. High-directivity microstrip directional couplers 142
Haythornthwaite, R.F. New surface-controlled negative-impedance transistor 273
Heidrich, P.F., White, J.M., and Lean, E.G. (see White, J.M.)
Helszajn, J. Two-port dipolar switch 46
Hemment, P., Speight, J.D., Leigh, P., McIntyre, N., Groves, I.G., and O'Hara, S. (see Speight, J.D.)
Henaff, J., and Le Contellec, M. Improvement of semiconducting films for acoustoelectric amplification 49
Hendry, A., and McCormick, G.C. Deterioration of circular-polarisation clutter cancellation in anisotropic precipitation media 165
Heng, T.M.S., and Nathanson, H.C. Vertical m.o.s. transistor geometry for power amplification at gigahertz frequencies 490
Henshall, G.D., and Whiteaway, J.E.A. Far-field emission patterns of single heterostructure GaAs lasers 326
Henshall, G.D., Selway, P.R., Thompson, G.H.B., and Whiteaway, J.E.A. (see Selway, P.R.)
Henshall, G.D., Thompson, G.H.B., Selway, P.R., and Whiteaway, J.E.A. (see Thompson, G.H.B.)
Herron, L.H., Sebestyen, T., and Hartnagel, H. (see Sebestyen, T.)
Heutink, F. Widerange variable-pulse generator 57 Errata 208
Hillbrand, H., Rees, H.D., and Jones, D. Theoretical characteristics of transferred-electron amplifiers 87
Hilsum, C. Simple empirical relationship between mobility and carrier concentration 259
Hobson, G.S. Ambient-temperature effects in transferred-electron amplifiers Errata 24
Hockham, G.A. TEM waveguide coupling in presence of short-circuited slot 62
Hockham, G.A., and Sharpe, A.B. Influence of gap between laser and optical waveguide 135
Hockney, R.W., Warriner, R.A., and Reiser, M. Two-dimensional particle models in semiconductor-device analysis 484
Hodges, R.D., Braddock, P.W., and Genner, R. (see Braddock, P.W.)
Hoeffer, W.J.R., and Painchaud, G.R. Frequency markers providing resolution of 1 kHz for swept-microwave measurements 123
Hofmann, H. Relative convergence in mode-matching solutions of microstrip problems 126
Hoge, H. High-speed adaptive echo canceller 232
Hojo, A., and Kuru I. Gunn effects in $In_xGa_{1-x}Sb$ ($0 \leqslant X \leqslant 0.16$) 61
Holmes, J.N. Variable-frame-rate coding scheme for speech-analysis/synthesis systems 101 Errata 248
Holt, A.G.J., and Attikiouzel, J. Gaussian-filter approximation 54 Errata 208
Houselander, L.S. Cellular-array negabinary multiplier 168
Houston, P.A., and Evans, A.G.R. Electron velocity in n GaAs at high electric fields 332
Howard, A.M., Smith, D.J., and Purcell, J.J. Epitaxially grown double-drift silicon IMPATT diodes at 60 to 90 GHz 443
Howard, J.E. Probability-density function of output of single-bit crosscorrelator for detecting Gaussian reflections in noise 71 Errata 248
Howson, D.P., Palamutcuoglu, O., and Gardiner, J.G. (see Palamutcuoglu, O.)
Hussain, A.M.A., and Woodward, M.E. Realisation of stored-program sequential machines 246
Hutter, J., and Richards, D.L. (see Richards, D.L.)

I

Ieda, M., Sawa, G., and Kitagawa, M. (see Sawa, G.)
Ikoma, T., Sakai, K., Adachi, Y., and Yanai, H. (see Sakai, K.)
Insam, E. Fast modulo-number Hadamard transformer for a sequency-division multiplexer 343
Insam, E. Multiplexing system for Walsh waves 212
Irish, R.T. Narrowband microwave filter using exponential lines 302
Irven, J., Black, P.W., Byron, K., Few, I.S., and Worthington, R. (see Black, P.W.)
Irving, L.D., Colliver, D.J., Pattison, J.E., and Rees, H.D. (see Colliver, D.J.)
Ismail, M.S., and Bertrand, P. Stabilite globale d'un systeme du premier ordre commande par thyristors (Stability of 1st-order thyristor-bridge control system) 75
Isomura, A., Yoshimura, K., Nakahara, T., and Tsukamoto, A. (see Yoshimura, K.)
Iuculano, G., and Faldella, E. (see Faldella, E.)
Izawa, T., Kobayashi, S., Nakagome, H., Shimizu, N., and Tsuchiya, H. (see Kobayashi, S.)

J

Jaffe, J.M. Monolithic polycrystalline-silicon pressure transducer 420
James, G.L. Edge diffraction at a curved screen 167
James, J.R., Schuler, A.J., and Binham, R.F. Reduction of antenna dimensions by dielectric loading 263
Jansen, R. Computer analysis of edge-coupled planar structures 520
Jansen, R. Shielded rectangular microstrip disc resonators 299
Jarrott, R.K. Kron's link-at-a-time formula 405
Jarrott, R.K. Perturbation methods in numerical s plane analysis 260
John, S., and Arlett, P. Simple method for calculation of the characteristic impedance of microstrip 188
Johns, P.B., and Akhtarzad, S. (see Akhtarzad, S.)
Jones, B.E., and Behich, A. Direct simultaneous displacement and velocity measurement by a single noncontacting capacitance transducer 376
Jones, D., and Rees, H.D. Overlength modes of InP transferred-electron devices 234
Jones, D., Hillbrand, H., and Rees, H.D. (see Hillbrand, H.)
Jones, G.R., Watton, R., and Smith, C. (see Watton, R.)
Jordan, I.B., and Mouftah, H.T. (see Mouftah, H.T.)

K

Kallback, B. Analytical small-signal model of the supercritical n^+-n-n^+ GaAs transferred-electron amplifier 187
Kapron, F.P. Picosecond mode delays in gradient-refractive-index fibres 235
Karadeniz, M. New subnanosecond pulse-generator circuit employing two step-recovery diodes 102 Errata 232
Karadeniz, M. Novel wideband frequency divider employing two step-recovery diodes 283
Kato, K., and Yogo, H. (see Yogo, H.)
Katoh, H., Noguchi, T., and Akaiwa, Y. (see Noguchi, T.)
Kawakami, S., and Nishida, S. Anomalous dispersion of new doubly clad optical fibre 38
Keen, N.J. Milliwatt calorimeter for the 90-140 GHz waveguide band 384
Kennair, J.T., Hannah S., and Hartnagel, H. (see Hannah S.)
Kernot, R.J., and Evans, B.G. Subjective evaluation of single-channel-per-carrier frequency-modulated system for satellite communication 173
Kidd, G.P., and Davies, W.S. (see Davies, W.S.)
Kinard, J.R., and Harris, L.A. Impedance comparator using digitally generated sinewaves with accurate phase relationships 146
King, R.A., and Wong, K.M. (see Wong, K.M.)
Kingsley, S., and Davies, D.E.N. (see Davies, D.E.N.)
Kitagawa, M., Sawa, G., and Ieda, M. (see Sawa, G.)
Kitlinski, M. Bidirectional thin-film lumped-element circulator 66
Kobayashi, S., Nakagome, H., Shimizu, N., Tsuchiya, H., and Izawa, T. Low-loss optical glass fibre with Al_2O_3-SiO_2 core 410
Kodera, H., Watanabe, T., and Migitaka, M. (see Watanabe, T.)
Kohn, E. Normally-off m.e.s.f.e.t. with fast switching behaviour 505
Koizumi, K., Kondo, M., Ohta, Y., Saito, F., Sasaki, H., and Chubachi, N. (see Kondo, M.)
Kollberg, E.L. Comb-type slow-wave structure for travelling-wave masers 249
Kondo, M., Ohta, Y., Saito, F., Sasaki, H., Chubachi, N., and Koizumi, K. Acousto-optic diffraction by an acoustic surface wave in an ion-exchanged waveguide 518
Kristiansson, L. Jump phenomenon in digital filters 14
Kristiansson, L., and Claasen, T. (see Claasen, T.)
Kuliyeg, B., Lalevic, B., Fuschillo, N., and Wang, W. (see Lalevic, B.)
Kuo Liang, H.B., and Meiksin, Z.H. (see Meiksin, Z.H.)
Kuru I., and Hojo, A. (see Hojo, A.)
Kurumada, K., Mizutani, T., and Fujimoto, M. GaAs planar Gunn digital devices with subsidiary anode 161

L

Lagasse, P.E., Cabus, M., Chambers, J.C., and Mason, I.M. (see Cabus, M.)
Lal, M., Puri, S., and Singh, H. (see Puri, S.)
Lal, M., and Singh, H. (see Singh, H.)
Lalevic, B., Fuschillo, N., Wang, W., and Kuliyeg, B. Switching in thin polycrystalline films of CoO and CoO(Li) 65
Lam, Y-F. Realisation of basic 2-terminal network elements 276
Lamb, J.D. Determination of system frequency response direct from cross-correlation functions of sinusoidal signals 176 330

Larson, G., and Enander, B. (see Enander, B.)
Laybourn, P.J.R., and Millar, C.A. Sandwich-ribbon optical waveguides 175
Le Contellec, M., and Henaff, J. (see Henaff, J.)
Lean, E.G., White, J.M., and Heidrich, P.F. (see White, J.M.)
Lee, D.H., Berenz, J.J., and ..ing, R.S. (see Berenz, J.J.)
Leich, H., Boite, R., and Dubois, H. (see Boite, R.)
Leigh, P., Speight, J.D., McIntyre, N., Groves, I.G., O'Hara, S., and Hemment, P. (see Speight, J.D.)
Leung, K.-H.,and Spence, R. Efficient statistical circuit analysis 360
Leung, K.-H., and Spence, R. Tracking sensitivity: an efficient algorithm for linear nonreciprocal circuits 377
Lewin, L. Obliquity factor for radiation from solid-state laser 134
Linner, L.J.P. Explicit expressions for geometrical dimensions of symmetrical coupled striplines 45
Lockhart, G.B. Implementation of digital matched filters in data receivers 311
Lomax, R.J., and Barnes, J.J. (see Barnes, J.J.)
Lovering, W.F. Comment on determination of frequency response direct from crosscorrelation functions of sinusoidal signals 259 330
Lucas, T.N., and Davidson, A.M. (see Davidson, A.M.)
Ludvik, S., and Froess, P. Comparison of noise parameters of diffused and ion-implanted microwave transistors 40
Lukoschus, D., and Dehmel, G. (see Dehmel, G.)
Lush, D.M., and Craven, G. (see Craven, G.)
Luukkala, M. X ray scanning pinhole microscope 481
Luukkala, M., and Merilainen, P. Image scanning by acousto-electro-optic interaction 80

M

Maanders, E.J., Dijk, J., and Coolen, L. (see Dijk, J.)
McCormick, G.C., and Hendry, A. (see Hendry, A.)
McIntyre, N., Speight, J.D., Leigh, P., Groves, I.G., O'Hara, S., and Hemment, P. (see Speight, J.D.)
Mackerras, D. Testing lightning-flash counters with step-function voltages 394
McPherson, J., Thirlwell, J., and Bell, R.R. (see Thirlwell, J.)
Maerfeld, C., and Defranould, P. (see Defranould, P.)
Maione, B., and Torelli, F. Algorithm for determining the power of the companion matrix for multivariable systems 253
Majithia, J.C., and Bhar, R. Optimum packet size in a packet-switched data network 191 Errata 268
Majni, G., Canali, C., Minder, R., and Ottaviani, G. (see Canali, C.)
Maloney, T.J., and Frey, J. Electron dynamics in short-channel InP field-effect transistors 115
Man Shek Lee Equivalent network for bridged crystal filters 507
Maradudin, A.A., Sharon, T.M., and Cunningham, S.L. (see Sharon, T.M.)
Marciniak, W., and Rusek, M. Simple method of m.o.s.-transistor threshold-voltage measurement 202
Marinño, J.B. Selection of zeros of reflection coefficient in design of filters by insertion loss 133
Mars, P., Miller, A.J., and Brown, A.W. (see Miller, A.J.)
Marshall, F.G., and Paige, E.G.S. Mode conversion in surface-acoustic-wave reflective arrays 137
Marshall, J.E., and Garland, B. (see Garland, B.)
Martin, J.D. Detection of synchronism slip by shortened cyclic block codes 327
Mason, I.M., Papadofrangakis, E., and Chambers, J. Acoustic-surface-wave disc delay lines 63
Mason, I.M., Cabus, M., Lagasse, P.E., and Chambers, J.C. (see Cabus, M.)
Mason, I.M., and Motz, M.D. (see Motz, M.D.)
Mason, I.M., Wright, S., and Wilson, M.G.F. (see Wright, S.)
Matsumoto, T. Gradients of a performance index arising from network optimisation in the frequency domain 263
Matsumura, H., Gambling, W.A., and Payne, D.N. (see Gambling, W.A.)
Matsumura, H., Gambling, W.A., Payne, D.N., and Medlicott, M. (see Gambling, W.A.)
May, E.J.P., and Aniagyei, H.M. Low-frequency noise in incandescent tungsten filaments 250 369
Medlicott, M., Gambling, W.A., Payne, D.N., and Matsumura, H. (see Gambling, W.A.)
Meijer, G.C.M. Decreasing f.m. noise in absorption e.p.r. spectrometer 29
Meiksin, Z.H., and Kuo Liang, H.B. Strain and temperature sensitivity of very-thin low-density tantalum films 352
Melngailis, J., and Flynn, G.T. 16-channel surface-acoustic-wave grating-filter bank for real-time spectral analyser 107
Merilainen, P., and Luukkala, M. (see Luukkala, M.)
Methiwalla, A.E., and Tomlinson, M. (see Tomlinson, M.)
Meyer, P.C., and Bakken, D.W. (see Bakken, D.W.)
Middelhoek, S., and Van Putten, A.F.P. (see Van Putten, A.F.P.)
Midford, T.A., Obah, C.O.G., Benko, E., Bowers, H.C., and Chao, P.Y. (see Obah, C.O.G.)
Midha, S.S., and Rangole, P.K. (see Rangole, P.K.)
Midwinter, J.E., Day, C.R., Newns, G.R., Uffen, R.W.J., and Worthington, R. (see Day, C.R.)
Migitaka, M., Watanabe, T., and Kodera, H. (see Watanabe, T.)
Millar, C.A., and Laybourn, P.J.R. (see Laybourn, P.J.R.)
Miller, A.J., Brown, A.W., and Mars, P. Moving-average output interface for digital stochastic computers 419
Minder, R., Canali, C., Majni, G., and Ottaviani, G. (see Canali, C.)
Mischel, P., Beneking, H., Schul, G., and Gattung, A. (see Beneking, H.)
Mitchell, D.J., and Snyder, A.W. (see Snyder, A.W.)
Mitchell, R.F., and Parker, D.W. Synthesis of acoustic-surface-wave filters using double electrodes 512
Mitchell, R.F., and French, R.C. (see French, R.C.)
Mizutani, T., Kurumada, K., and Fujimoto, M. (see Kurumada, K.)
Moharir, P.S. Ternary Barker codes 460
Moharir, P.S., and Selvarajan, A. Optical Barker codes 154
Moharir, P.S., and Selvarajan, A. Systematic search for optical Barker codes with minimum length 245
Mok, T.D., and Salama, C.A.T. V-shaped notched-channel field-effect transistor 478
Morgan, D.P., and Sutherland, J.G. Processing gain of surface-acoustic-wave convolver with noise-corrupted reference waveform 86
Morgan, D.V., and Ashburn, P. Generation/recombination of carriers in p-n junctions 85
Morgan, D.V., Rageh, M.S.I., and Guile, A.E. (see Rageh, M.S.I.)
Morgan, D.V., and Taylor, P.D. (see Taylor, P.D.)
Morgan, R.J. Reliability consideration for distributed chain structure with unreliable nodes 106
Motz, M.D., and Mason, I.M. A.S.W.-convolver bilinear-coefficient variation on y-cut lithium niobate 83
Mouftah, H.T., and Jordan, I.B. Implementation of 3-valued logic with c.o.s.m.o.s. integrated circuits 441
Mouthaan, K., and Snoeren, R.M. Characterisation of avalanche photodiodes having nearly-unilateral-carrier multiplication 118
Mulawka, J., and Bialko, M. Modifications of Tarmy-Ghausi active filter 380
Muraleedhara Prabhu, K.M., and Umapathi Reddy, V. (see Umapathi Reddy, V.)
Murray-Smith, D.J., El-Shirbeeny, E.H.T., and Winning, D.J. (see El-Shirbeeny, E.H.T.)
Myers, B.R. Vertex splitting in resistor-network analysis 124
Myers, F.A., Bullimore, E.D., and Downing, B.J. (see Bullimore, E.D.)
Myers, F.A., and Stevens, R. (see Stevens, R.)
Myers, F.A., Stevens, R., and Tarrant, D. (see Stevens, R.)

N

Nakagome, H., Kobayashi, S., Shimizu, N., Tsuchiya, H., and Izawa, T. (see Kobayashi, S.)
Nakahara, T., Yoshimura, K., Tsukamoto, A., and Isomura, A. (see Yoshimura, K.)
Nash, J.A., Gray, G.W., Harrison, K.J., and Raynes, E.P. (see Gray, G.W.)
Nathanson, H.C., and Heng, T.M.S. (see Heng, T.M.S.)
Neelakantaswamy, P.S., and Banerjee, D.K. Waveguide-fed dielectric spherical antennas 540
Neill, T.B.M. Analysis of imperfectly defined circuits 132
Neill, T.B.M. Treatment of constraint equations in nodal analysis 320 Errata 368
Neirynck, J., and Van Bastelaer, P. Sensitivity of equivalent networks 452
Nemoto, S., and Yip, G.L. Excitation of self-focusing optical fibre by Gaussian beam 150
Neumann, E.-G., and Rudolph, H.D. Poynting's vector and the wavefronts near a plane conductor 446
Newns, G.R., Beales, K.J., and Duncan, W.J. Low-loss glass for optical transmission 201
Newns, G.R., Day, C.R., Midwinter, J.E., Uffen, R.W.J., and Worthington, R. (see Day, C.R.)
Nichols, K.G., and Raghemi Azar, A. (see Raghemi Azar, A.)
Nightingale, C. Class of transfer functions with finite stopband attenuation with both passband and stopband exhibiting equiripple behaviour 381
Nightingale, C., and Rollett, J.M. Exact synthesis of active lowpass frequency-dependent negative-resistance filters 34
Nishida, S., and Kawakami, S. (see Kawakami, S.)
Noguchi, T., Akaiwa, Y., and Katoh, H. New edge-guided mode isolator using ferromagnetic-resonance absorption 501
Norbury, J.R., Harden, B.N., and White, W.J.K. (see Harden, B.N.)
Norris, A.P., and Westcott, B.S. Realisation of generalised far fields by reflector synthesis 322

O

O'Connor, C.W., Pratt, R.G., and Simpson, G. (see Pratt, R.G.)
O'Hara, S., and Grierson, J.R. Efficiency considerations of high- low- and low-high-low-doping GaAs IMPATT diodes 541
O'Hara, S., Speight, J.D., Leigh, P., McIntyre, N., Groves, I.G., and Hemment, P. (see Speight, J.D.)
Obah, C.O.G., Benko, E., Midford, T.A., Bowers, H.C., and Chao, P.Y. Single-diode 0.5 kW TRAPATT oscillator 430
Ohta, Y., Kondo, M., Saito, F., Sasaki, H., Chubachi, N., and Koizumi, K. (see Kondo, M.)
Olsen, R.G., and Chang, D.C. New modal representation of electromagnetic waves supported by horizontal wire above dissipative earth 92
Olver, A.D., Al-Hariri, A.M.B., and Clarricoats, P.J.B. (see Al-Hariri, A.M.B.)
Olver, A.D., Brooking, N., and Clarricoats, P.J.B. (see Brooking, N.)
Olver, A.D., Clarricoats, P.J.B., and Al-Hariri, A.M.B. (see Clarricoats, P.J.B.)
Olver, A.D., Clarricoats, P.J.B., and Parini, C. (see Clarricoats, P.J.B.)
Ong, D.G., and Pierret, R.F. Approximate formula for surface carrier concentration in charge-coupled devices 6
Orchard, H.J., and Willson, A.N., Jun. New active-gyrator circuit 261
Orefice, M. Increased-bandwidth resonant slot array with bidirectional radiation pattern 396
Orth, B.J., and Speciale, R.A. Solution of the coupled-mode equations in terms of redefined even- and odd-mode waves 423
Ottaviani, G., Canali, C., Majni, G., and Minder, R. (see Canali, C.)
Otto, O.W., and Weglein, R.D. Scattering of acoustic surface waves from periodic grating filters 383
Otto, O.W., and Weglein, R.D. (see Weglein, R.D.)
Owens, D.H. Dyadic modification to sequential technique for multivariable-control-system design 25
Owens, D.H. Feedback stability of open-loop unstable systems: contraction-mapping approach 238 Errata 348
Owens, D.H. Sequential design of linear multivariable systems retaining full output feedback 79
Owens, D.H., and Edwards, J.B. Optimisation of mine winder: state-constrained minimum-energy problem 10

P

Page, E.W. Progammable cellular array for sequential-machine realisation 413
Paige, E.G.S., and Marshall, F.G. (see Marshall, F.G.)
Painchaud, G.R., and Hoeffer, W.J.R. (see Hoeffer, W.J.R.)
Palamutcuoglu, O., Gardiner, J.G., and Howson, D.P. Image-cancelling mixers at 2 GHz 104
Papaconstantinou, C., and Zakian, V. (see Zakian, V.)
Papadofrangakis, E., Mason, I.M., and Chambers, J. (see Mason, I.M.)
Parini, C., Clarricoats, P.J.B., and Olver, A.D. (see Clarricoats, P.J.B.)
Parker, D.W., and Mitchell, R.F. (see Mitchell, R.F.)
Parker, D.W., Penna, D.E., Smith, F.W., and Stevens, R. (see Penna, D.E.)
Parsons, J.D. Field-diversity antenna for u.h.f. mobile radio 91
Partain, L.D., and Sayed, M.M. (see Sayed, M.M.)
Patel, R.V. Relationship between feedback and the transfer-function matrix of a multivariable system 386
Pattison, J.E., Colliver, D.J., Irving, L.D., and Rees, H.D. (see Colliver, D.J.)
Payne, D.N., and Gambling, W.A. Preparation of water-free silica-based optical-fibre waveguide 335
Payne, D.N., and Gambling, W.A. New silica-based low-loss optical fibre 289

Payne, D.N., Gambling, W.A., and Matsumura, H. (see Gambling, W.A.)
Payne, D.N., Gambling, W.A., Matsumura, H., and Medlicott, M. (see Gambling, W.A.)
Penna, D.E., Parker, D.W., Smith, F.W., and Stevens, R. Interdigital acoustic-surface-wave transducer with low interactions 489
Pent, M., Castellani, V., and Presti, L.L. (see Castellani, V.)
Perkins, K.D., and Ward, P.J. (see Ward, P.J.)
Perlstein, J.H., and Sayed, M.M. (see Sayed, M.M.)
Phua, K.T., and Anderson, A.P. (see Anderson, A.P.)
Pierret, R.F., and Ong, D.G. (see Ong, D.G.)
Piret, P. Good block codes derived from cyclic codes 391
Popović, B.D., and Dragovic, M.B. Nonreflecting broadband capacitive termination for thin-wire antennas 314
Porter, B. Singular perturbation methods in the design of observers and stabilising feedback controllers for multivariable linear systems 494
Prasad, S.M., Bhave, S.S., and Damle, S.H. (see Bhave, S.S.)
Pratt, R.G., Simpson, G., and O'Connor, C.W. Acoustic-surface-wave properties of $Bi_{12}SiO_{20}$ and related compounds 369
Presti, L.L., Castellani, V., and Pent, M. (see Castellani, V.)
Prior, A.C. Extension of Boolean differentiation to define a test for a specific logic fault in a combinational logic network 353
Prior, A.C., and Bennetts, R.G. Application of the Boolean-difference technique to sequential logic 486
Pulford, T.P., Risk, R.J., and Watkins, C.D. Control circuit for ferrite phase shifter 194
Purcell, J.J., Corlett, R.M., and Griffith, I. (see Corlett, R.M.)
Purcell, J.J., Howard, A.M., and Smith, D.J. (see Howard, A.M.)
Puri, S., Singh, H., and Lal, M. Transformation of time-varying autonomous systems to companion form 24
Pyee, M., Clairon, A., and Auvray, J. Utilisation de diodes Schottky comme detecteurs et mélangeurs a 30 THz (Using a Schottky diode in detecting and mixing at 30 THz) 500

R

Rabinowitz, I.I., and Staniforth, J.A. Propagation in two circular coaxial waveguides 415 Errata 468
Raczy L., Druelle, Y., and Citerne, J. (see Druelle, Y.)
Rageh, M.S.I., Guile, A.E., and Morgan, D.V. Charge storage due to u.v. irradiation in aluminium-oxide films 429
Raghemi Azar, A., and Nichols, K.G. Reordering for minimum infill in sparse-matrix solutions of linear equations 529
Ramstad, T.A., and Andresen, S. P.C.M. counter-coder principle for segmented A law 77
Rangole, P.K., and Midha, S.S. Short antenna with active inductance 462
Rayner, P.J.W., and Terrell, P.M. (see Terrell, P.M.)
Rayner, P.J.W., and Thajchayapong, P. (see Thajchayapong, P.)
Raynes, E.P. Improved contrast uniformity in twisted nematic liquid-crystal electro-optic display devices 141
Raynes, E.P., and Shanks, I.A. Fast-switching twisted nematic electro-optical shutter and colour filter 114
Raynes, E.P., Gray, G.W., Harrison, K.J., and Nash, J.A. (see Gray, G.W.)
Razaz, M., and Davies, J.B. Admittance of a coaxial-to-circular waveguide junction 324
Rebild, D., and Hansen, O. (see Hansen, O.)
Rees, H.D., Colliver, D.J., Irving, L.D., and Pattison, J.E. (see Colliver, D.J.)
Rees, H.D., Hillbrand, H., and Jones, D. (see Hillbrand, H.)
Rees, H.D., and Jones, D. (see Jones, D.)
Reiser, M., Hockney, R.W., and Warriner, R.A. (see Hockney, R.W.)
Richards, D.L., and Hutter, J. New definitions for loudness ratings 403
Risk, R.J., Pulford, T.P., and Watkins, C.D. (see Pulford, T.P.)
Roberts, J.B.G., Chesswas, M., and Eames, R. Video integration using charge-coupled devices 169
Roberts J.H. F.M. click rates 16 Errata 208
Roberts, J.H., and Blachman, N.M. (see Blachman, N.M.)
Rollett, J.M., and Nightingale, C. (see Nightingale, C.)
Rouvaen, J.M., Bridoux, E., and Gremillet, N. Wavefront visualisation of acoustic surface waves 297
Rouzeyre, M., Bastide, G., and Sagnes, G. (see Bastide, G.)
Rudolph, H.D., and Neumann, E.-G. (see Neumann, E.-G.)
Rusch, W.V.T. Double aperture blocking by two wavelength-sized feed-support struts 296
Rusch, W.V.T. Physical-optics diffraction coefficients for a paraboloid 358
Rusek, M., and Marciniak, W. (see Marciniak, W.)

S

Sagnes, G., Bastide, G., and Rouzeyre, M. (see Bastide, G.)
Saito, F., Kondo, M., Ohta, Y., Sasaki, H., Chubachi, N., and Koizumi, K. (see Kondo, M.)
Sakai, K., Ikoma, T., Adachi, Y., and Yanai, H. Velocity/field characteristic of $Ga_xIn_{1-x}Sb$ calculated by the Monte Carlo method 402
Sakaue, M., and Daikoku, K. Semiconductor switching device using improved unijunction transistors 497
Salama, C.A.T., and Mok, T.D. (see Mok, T.D.)
Sasaki, H., Kondo, M., Ohta, Y., Saito, F., Chubachi, N., and Koizumi, K. (see Kondo, M.)
Sawa, G., Ieda, M., and Kitagawa, M. Relation between pre-exponential factor and activation energy in dark conductivity of polyethylene 50 Errata 140
Saxby, B.J.L. Algebraic analysis of sequential circuits 421
Sayed, M.M., and Partain, L.D. Reliability of low-cost CdS/Cu_2S solar cells 163
Sayed, M.M., and Perlstein, J.H. Microwave Hall-mobility measurements on vanadium bronze $V_2O_5(Na_{0.33}\ V_2O_5$ and $CU_{0.0083}\ V_2O_5)$ 178 Errata 288
Schemmert, W., and Zimmer, G. Threshold-voltage sensitivity of ion-implanted m.o.s. transistors due to process variations 151
Schicketanz, D., Wittmann, J., and Zeidler, G. Effects of degradation-induced absorption in GaAs-d.h.s. laser diodes 252
Schicketanz, D., and Geckeler, S. (see Geckeler, S.)
Schul, G., Beneking, H., Mischel, P., and Gattung, A. (see Beneking, H.)
Schuler, A.J., James, J.R., and Binham, R.F. (see James, J.R.)
Schwab, H. Statische Kennlinien von M.O.S.-Feldeffekt-Transistoren im ohmschen und Sattigungsbereich (Current/voltage characteristics of m.o.s. field-effect transistors in the linear and saturation region) 356
Scibor-Rylski, M.T.V. Further comments on t.i.r. deflector/modulator performance 4
Sebestyen, T., Hartnagel, H., and Herron, L.H. New method for producing ideal metal-semiconductor ohmic contacts 372
Seborg, D.E., Shah, S.L., and Fisher, D.G. (see Shah, S.L.)
Selvarajan, A., and Moharir, P.S. (see Moharir, P.S.)
Selway, P.R., Thompson, G.H.B., Henshall, G.D., and Whiteaway, J.E.A. Measurement of the effect of injected carriers on the p-n refractive-index step in single heterostructure diode lasers 453
Selway, P.R., Thompson, G.H.B., Henshall, G.D., and Whiteaway, J.E.A. (see Thompson, G.H.B.)
Seraji, H. Direct method for pole assignment in single-input systems with output feedback 243
Shah, S.L., Fisher, D.G., and Seborg, D.E. Disturbance localisation in linear time-invariant multivariable systems 513
Shanks, I.A. Electro-optical colour effects by twisted nematic liquid crystal 90
Shanks, I.A., and Raynes, E.P. (see Raynes, E.P.)
Sharma, R., and Viswanathan, T.R. Current-controlled oscillator 466
Sharon, T.M., Maradudin, A.A., and Cunningham, S.L. Rectangular-ridge vibrational modes 229
Sharpe, A.B., and Hockham, G.A. (see Hockham, G.A.)
Shimizu, N., Kobayashi, S., Nakagome, H., Tsuchiya, H., and Izawa, T. (see Kobayashi, S.)
Shinn, D.H., and Streete, M.A. (see Streete, M.A.)
Shiva, S.G.S., Yip, P.W., and Cohen, E.L. (see Yip, P.W.)
Sholl, H.A., and Dervisoglu, B.I. (see Dervisoglu, B.I.)
Simpson, G., Pratt, R.G., and O'Connor, C.W. (see Pratt, R.G.)
Singh, H., and Lal, M. Improved algorithm for state-space synthesis 268
Singh, H., Puri, S., and Lal, M. (see Puri, S.)
Sinha, M., and Das, B.N. Utilisation factor of a waveguide-fed slot array 399
Sitch, J.E. Computer modelling of low-noise indium-phosphide amplifiers 74
Slattery, D., and Daniels, A.R. (see Daniels, A.R.)
Slobodnik, A.J., Jun. Surface-quality effects on s.a.w. attenuation on yz $LiNbO_3$ 233
Smith, C., Watton, R., and Jones, G.R. (see Watton, R.)
Smith, D.J., Howard, A.M., and Purcell, J.J. (see Howard, A.M.)
Smith, F.W., Penna, D.E., Parker, D.W., and Stevens, R. (see Penna, D.E.)
Smith-Saville, R.J., and Coles, J.M. (see Coles, J.M.)
Snoeren, R.M., and Mouthaan, K. (see Mouthaan, K.)
Snyder, A.W., and Mitchell, D.J. Bending losses of multimode optical fibres 11 Errata 60
Snyder, A.W., and Mitchell, D.J. Whispering-gallery rays within dielectric circles and spheres 16
Sobajić, M.V., Danilovic, D.Z., and Veselinovic, D.I. (see Danilovic, D.Z.)
Speciale, R.A., and Orth, B.J. (see Orth, B.J.)
Speight, J.D., Leigh, P., McIntyre, N., Groves, I.G., O'Hara, S., and Hemment, P. High-efficiency proton-isolated GaAs IMPATT diodes 98
Spence, R., and Leung, K.-H. (see Leung, K.-H.)
Spies, K.P., and Wait, J.R. (see Wait, J.R.)
Staniforth, J.A., and Rabinowitz, I.I. (see Rabinowitz, I.I.)
Steinberg, R.A. Comment on Picosecond mode delays in gradient-refractive-index fibres 375
Stephenson, F.W. Comparative performance of equal-valued-capacitor active RC structures Errata 524
Stephenson, F.W., and Dunning-Davies, J. (see Dunning-Davies, J.)
Stern, E., and Williamson, R.C. New adaptive-signal-processing concept 58
Stevens, R., and Myers, F.A. Temperature compensation of Gunn oscillators 463
Stevens, R., Tarrant, D., and Myers, F.A. Pulsed Gunn-diode oscillator: 40 W at 16 GHz 531
Stevens, R., Penna, D.E., Parker, D.W., and Smith, F.W. (see Penna, D.E.)
Stevens, S. Fault location and diagnosis procedure in ring-sum iterative arrays 195
Stevenson, J.L., and Dyott, R.B. Optical-fibre waveguide with a single-crystal core 449
Stewart, C.E.E., and Black, P.W. Optical losses in soda-lime/silica-cladded fibres produced from composite rods 53
Stewart, J.A.C. BARITT-diode large signal performance 193
Stojanov, D.V., Borisov, M.I., Veikov, V.V., and Burov, J.I. (see Borisov, M.I.)
Stoneham, T.J., and Aleksander, I. Optimisation of digital learning networks when applied to pattern recognition of mass spectra 301 Errata 392
Streete, M.A., and Shinn, D.H. Site shielding for earth-station antennas 120 Errata 248
Sumner, J.P. Product network as a traffic concentrator 436
Sumner, J.P. Traffic capacity of product networks 112
Sutcliffe, H. Image of a coil in relation to the gauging of distance of metal surfaces 409 Errata 544
Sutherland, J.G., and Morgan, D.P. (see Morgan, D.P.)
Szekely, V. Method for weighted charge summation un bucket-brigade circuits 418

T

Tamama, T., and Daikoku, K. (see Daikoku, K.)
Tan, J.S.C. Simple circuit for computing $(x^2 + y^2)^{1/2}$ 455
Tan, O.H., Tjhung, T.T., Wee, B.L., and Chia, T.S. (see Tjhung, T.T.)
Tanaka, K., and Hamakawa, Y. Photochromic effect in impurity-doped PLZT ceramics 350
Tarrant, D., Stevens, R., and Myers, F.A. (see Stevens, R.)
Tarry, H.A., and Gooch, C.H. (see Gooch, C.H.)
Tartara, G., and Bellini, S. (see Bellini, S.)
Taylor, B.G. Phase-distortion compensator for high-density digital magnetic-tape recording 492
Taylor, H.F. Optical-waveguide connecting networks 41
Taylor, P.D., and Morgan, D.V. Role of radiation damage on the contact resistance of GaAs Schottky barriers 428
Terrell, P.M., and Rayner, P.J.W. Digital single-sideband modulators 257
Terrell, P.M., and Rayner, P.J.W. Improved algorithm for low-order real digital circular convolution 224
Thajchayapong, P., and Rayner, P.J.W. Design of recursive digital filters approximating to arbitrary prescribed magnitude responses 159 Errata 248
Thayse, A. New method for obtaining the optimal Taylor expansions of a Boolean function 543
Thirlwell, J., McPherson, J., and Bell, R.R. Broadband cryogenic parametric amplifier operating at 11.6 GHz 329
Thomas, B., Grundorfer, S., and Adams, M.J. (see Grundorfer, S.)
Thompson, G.H.B., Selway, P.R., Henshall, G.D., and Whiteaway, J.E.A. Role of optical guiding in critical-temperature behaviour, delays and Q switching in single heterostructure GaAs/(GaAl)As lasers 456

Thompson, G.H.B., Selway, P.R., Henshall, G.D., and Whiteaway, J.E.A. (see Selway, P.R.)
Tirtoprodjo, S. Canonical RLC synthesis for a class of immittance functions 388
Tjhung, T.T., Wee, B.L., Chia, T.S., and Tan, O.H. Error rates for biternary frequency modulation 295
Tomlinson, M., and Methiwalla, A.E. Improvements in coherent f.s.k. performance 393
Tomlinson, M.J., and Bounden, J.E. (see Bounden, J.E.)
Topolevsky, R., and Burgess, J.W. Interresonator coupling for overtone monolithic quartz filters 477
Torelli, F., and Maione, B. (see Maione, B.)
Tsuchiya, H., Kobayashi, S., Nakagome, H., Shimizu, N., and Izawa, T. (see Kobayashi, S.)
Tsukamoto, A., Yoshimura, K., Nakahara, T., and Isomura, A. (see Yoshimura, K.)

U

Udink Ten Cate, A.J. Improvement of continuous-gradient identification techniques by Lyapunov's second method 474
Ueda, K. Placement algorithm for logic modules 206
Uffen, R.W.J., Day, C.R., Midwinter, J.E., Newns, G.R., and Worthington, R. (see Day, C.R.)
Ulmer, D.H., Gandhi, O.P., and Grow, R.W. Beam mode compositions on passage through a Fabry-Perot interferometer 493
Umapathi Reddy, V., and Muraleedhara Prabhu, K.M. Sum-cosine window 438

V

Van Bastelaer, P., and Neirynck, J. (see Neirynck, J.)
Van Der Plaats, J., and Van Etten, W. (see Van Etten, W.)
Van Etten, W., and Van Der Plaats, J. Alternative in multiwire cables for digital transmission 477
Van Hoof, H.A.J.M. Comment on some errors in the calculation of the radiation patterns of reflector antennas, using Kirchhoff integration 70
Van Loock, W.M. Optimum frequency multiplication with resistive diodes 158
Van Putten, A.F.P., and Middelhoek, S. Integrated silicon anemometer 425
van Vliet, R.G. Integrated class-B end stage 317
Vanwormhoudt, M.C., and Baert, D. Reduction of radio-frequency interference of phase-controlled systems by load partitioning 472
Varney, J.C., and Davis, L.E. Structural oscillation in a cholesteric-nematic mixture 331
Veikov, V.V., Borisov, M.I., Stojanov, D.V., and Burov, J.I. (see Borisov, M.I.)
Veselinović, D.I., Danilović, D.Z., and Sobajic, M.V. (see Danilovic, D.Z.)
Villotte, J.P., and Garault, Y. (see Garault, Y.)
Vincent, C.H. Reactor-period measurements at low powers 475
Viswanadham, N. Decoupling of time-varying systems using dynamic compensators 366
Viswanathan, T.R., and Sharma, R. (see Sharma, R.)
Voorman, J.O. Ideal frequency modulator 387

W

Wait, J.R., and Spies, K.P. Low-frequency impedance of a circular loop over a conducting ground Errata 248
Walker, A.J. Fast generation of uniformly distributed pseudorandom numbers with floating-point representation 533
Walker, A.J. New fast method for generating discrete random numbers with arbitrary frequency distributions 127
Wang, W., Lalevic, B., Fuschillo, N., and Kuliyeg, B. (see Lalevic, B.)
Ward, P.J., and Perkins, K.D. Current/voltage relations in punchthrough transistors 374
Warriner, R.A., Hockney, R.W., and Reiser, M. (see Hockney, R.W.)
Watanabe, T., Kodera, H., and Migitaka, M. GaAs 50 GHz Schottky-barrier IMPATT diodes 7
Watkins, C.D., Pulford, T.P., and Risk, R.J. (see Pulford, T.P.)
Watson, P.A., and Arbabi, M. Crosspolarisation isolation and discrimination Errata 208
Watton, R., Jones, G.R., and Smith, C. Hard-vacuum pyroelectric vidicon: suitable materials 469
Wauk, M.T. $LiNbO_3$-quartz-$LiNbO_3$ composite delay line with zero linear temperature coefficient of delay 109
Webb, R.V. Identification of the Volterra kernels of a process containing single-valued nonlinearities 344
Webber, R.F., and Delashmit, W.H., Jun. Linear scale-factor error and optimum filter bandwidth for correlation accuracy 414
Wee, B.L., Tjhung, T.T., Chia, T.S., and Tan, O.H. (see Tjhung, T.T.)
Weglein, R.D., and Otto, O.W. Characteristics of periodic acoustic-surface-wave grating filters 68
Weglein, R.D., and Otto, O.W. (see Otto, O.W.)
Westcott, B.S., and Norris, A.P. (see Norris, A.P.)
Westwood, W.D., and Cheng, Y.C. (see Cheng, Y.C.)
White, J.M., Heidrich, P.F., and Lean, E.G. Thin-film acousto-optic interaction in L^{Nb} 510
White, P.D., and Collier, R.J. (see Collier, R.J.)
White, R.M., and Gates, J.L. (see Gates, J.L.)
White, W.J.K., Harden, B.N., and Norbury, J.R. (see Harden, B.N.)
Whiteaway, J.E.A., and Henshall, G.D. (see Henshall, G.D.)
Whiteaway, J.E.A., Selway, P.R., Thompson, G.H.B., and Henshall, G.D. (see Selway, P.R.)
Whiteaway, J.E.A., Thompson, G.H.B., Selway, P.R., and Henshall, G.D. (see Thompson, G.H.B.)
Whitehead, D.G. Subnanosecond-transient detector using emitter-coupled logic gates 47
Willems, J.L. Complete disturbance isolation in linear feedback systems 319
Willems, J.L. Stability analysis of a particular class of stochastic system 537
Williams, P. Nullor representation of variable-frequency RC oscillator 294
Williamson, R.C., and Stern, E. (see Stern, E.)
Willis, D.M. Phase variations at millimetric wavelengths on an Earth-space path through model atmospheres 281
Willson, A.N., Jun., and Orchard, H.J. (see Orchard, H.J.)
Wilson, G. Insensitive very-low-frequency RC oscillator 447
Wilson, M.G.F., Wright, S., and Mason, I.M. (see Wright, S.)
Wilson, M.J.D., and Aleksander, I. Ring-structured adaptable logic circuit for the classification of binary vectors 337
Winning, D.J., El-Shirbeeny, E.H.T., and Murray-Smith, D.J. (see El-Shirbeeny, E.H.T.)
Winstanley, A.M., and Carroll, J.E. Transistor improvements using an IMPATT collector 516
Wittmann, J., Schicketanz, D., and Zeidler, G. (see Schicketanz, D.)
Wong, K.M., and King, R.A. Method to suppress limit-cycle oscillations in digital filter 55
Wood, P.J., and Boswell, A. Optimisation of antenna gain for earth coverage from geostationary satellite 227
Woods, D. Generation of reflection-coefficient standards of any value by means of a 3-port coaxial junction at microwave frequencies 379
Woodward, M.E., and Almaini, A.E.A. (see Almaini, A.E.A.)
Woodward, M.E., and Bin Nun, M.A. (see Bin Nun, M.A.)
Woodward, M.E., and Hussain, A.M.A. (see Hussain, A.M.A.)
Worthington, R., Black, P.W., Irven, J., Byron, K., and Few, I.S. (see Black, P.W.)
Worthington, R., Day, C.R., Midwinter, J.E., Newns, G.R., and Uffen, R.W.J. (see Day, C.R.)
Wright, S., Mason, I.M., and Wilson, M.G.F. High-speed electro-optic analogue-digital conversion 508

Y

Yanai, H., Sakai, K., Ikoma, T., and Adachi, Y. (see Sakai, K.)
Ying, R.S., Berenz, J.J., and Lee, D.H. (see Berenz, J.J.)
Yip, G.L., and Ahmew, Y.H. Propagation characteristics of radially inhomogeneous optical fibre 37
Yip, G.L., and Nemoto, S. (see Nemoto, S.)
Yip, P.W., Shiva, S.G.S., and Cohen, E.L. Permutation-decodable binary cyclic codes 467
Yogo, H., and Kato, K. Circuit realisation of negative-impedance convertor at v.h.f. 155
Yoshimura, K., Nakahara, T., Tsukamoto, A., and Isomura, A. Low-loss plastics-cladding fibre 534

Z

Zakian, V., and Papaconstantinou, C. Numerical test of stability of large sparse matrices and dynamical systems 503
Zeidler, G., Schicketanz, D., and Wittmann, J. (see Schicketanz, D.)
Zimmer, G., and Schemmert, W. (see Schemmert, W.)
Zissos, D. Logicfree data channels 362 Errata 408

Subject index

10 μm-long transferred-electron oscillators, bias-dependent oscillations in. H.L.Grubin 371
16-channel surface-acoustic-wave grating-filter bank for real-time spectral analyser. J.Melngailis and G.T.Flynn 107
1-dimensional analysis, buried-channel c.c.d. models based on a. H.El-Sissi and R.S.C.Cobbold 198 Errata 408
3-valued logic, implementation of, with c.o.s.m.o.s. integrated circuits. H.T.Mouftah and I.B.Jordan 441
50 GHz, GaAs, IMPATT diodes, Schottky-barrier. T.Watanabe, H.Kodera and M.Migitaka 7

A

A.C.-coupled probe technique for very-low-frequency operation. R.W.J.Barker and B.L.Hart 336
A.S.W.-convolver bilinear-coefficient variation on y-cut lithium niobate. M.D.Motz and I.M.Mason 83
Absorption, degradation-induced, in GaAs-d.h.s. laser diodes, effects of. D.Schicketanz, J.Wittmann and G.Zeidler 252
Absorption e.p.r. spectrometer, decreasing f.m. noise in. G.C.M.Meijer 29
Accuracy, high amplitude, phase shifter with. G.Dehmel and D.Lukoschus 22
Acoustic convolver using multistrip beamwidth compressors. P.Defranould and C.Maerfeld 209
Acoustic surface wave, acousto-optic diffraction by an, in an ion-exchanged waveguide. M.Kondo, Y.Ohta, F.Saito, H.Sasaki, N.Chubachi and K.Koizumi 518
Acoustic-surface-wave analogue-digital convertor. G.L.Baldwin and L.A.Coldren 225
Acoustic-, surface-, wave convolver with noise-corrupted reference waveform, processing gain of. D.P.Morgan and J.G.Sutherland 86
Acoustic-surface-wave disc delay lines. I.M.Mason, E.Papadofrangakis and J.Chambers 63
Acoustic-surface-wave filters, electrically controlled. M.I.Borisov, D.V.Stojanov, V.V.Veikov and J.I.Burov 519
Acoustic-surface-wave filters, synthesis of, using double electrodes. R.F.Mitchell and D.W.Parker 512
Acoustic-surface-wave grating filters, periodic characteristics of. R.D.Weglein and O.W.Otto 68
Acoustic-surface-wave properties of $Bi_{12}SiO_{20}$ and related compounds. R.G.Pratt, G.Simpson and C.W.O'Connor 369
Acoustic-surface-wave transducer, interdigital, with low interactions. D.E.Penna, D.W.Parker, F.W.Smith and R.Stevens 489
Acoustic surface waves from periodic grating filters, scattering of. O.W.Otto and R.D.Weglein 383
Acoustic surface waves on CdS, parametric amplification of. G.Bastide, G.Sagnes and M.Rouzeyre 442
Acoustic surface waves, wavefront visualisation of. J.M.Rouvaen, E.Bridoux and N.Gremillet 297

Acoustic-wave phase shifter, surface-, using electrical depolarisation. J.L.Gates and R.M.White 231
Acoustic-wave rejection filters, surface-, using mode conversion/reconversion. G.Craven and D.M.Lush 218
Acoustically connected by means of a multistrip coupler, spurious coupling between length-weighted transducers. A.J.Devries 172
Acousto-electro-optic interaction, image scanning by. M.Luukkala and P.Merilainen 80
Acousto-optic diffraction by an acoustic surface wave in an ion-exchanged waveguide. M.Kondo, Y.Ohta, F.Saito, H.Sasaki, N.Chubachi and K.Koizumi 518
Acousto-optic interaction, thin-film, in LiNb. J.M.White, P.F.Heidrich and E.G.Lean 510
Acoustoelectric amplification, improvement of semiconducting films for. J.Henaff and M.Le Contellec 49
Activation energy and pre-exponential factor in dark conductivity of polyethylene, relation between. G.Sawa, M.Ieda and M.Kitagawa 50 Errata 140
Active antennas, beam-steered, new technique for, phase-interpolation locking:. A.L.Cullen 81
Active filter, Tarmy-Ghausi, modifications of. J.Mulawka and M.Bialko 380
Active-gryator circuit, new. H.J.Orchard and A.N.Willson,Jun. 261
Active inductance, short antenna with. P.K.Rangole and S.S.Midha 462
Adders(half) modulo 2^n using read-only memories. M.A.Bin Nun and M.E.Woodward 213
Admittance of a coaxial-to-circular waveguide junction. M.Razaz and J.B.Davies 324
Al_2O_3-SiO_2 core, low-loss optical glass fibre with. S.Kobayashi, H.Nakagome, N.Shimizu, H.Tsuchiya and T.Izawa 410
Algebraic analysis of sequential circuits. B.J.L.Saxby 421
Algebraic method for closed-loop deadbeat control. J.D.Aplevich and J.H.Anderson 222
Algorithm, an efficient, for linear nonreciprocal circuits, tracking sensitivity:. K.-H.Leung and R.Spence 377
Algorithm for determining the power of the companion matrix for multivariable systems. B.Maione and F.Torelli 253
Algorithm, improved, for low-order real digital circular convolution. P.M.Terrell and P.J.W.Rayner 224
Algorithm, improved, for state-space synthesis. H.Singh and M.Lal 268
Alternative approach to design of wave digital filters. A.G.Constantinides 59
Alternative in multiwire cables for digital transmission. W.Van Etten and J.Van Der Plaats 477
Aluminium-oxide films, charge storage due to u.v. irradiation in. M.S.I.Rageh, A.E.Guile and D.V.Morgan 429
Ambient-temperature effects in transferred-electron amplifiers. G.S.Hobson Errata 24
Amplifier, class-ABD. A.R.Daniels and D.Slattery 364
Amplifier, silicon IMPATT cascaded: 6 W (c.w.) at 9.6 GHz. P.W.Braddock, R.D.Hodges and R.Genner 538
Amplifiers, low-noise indium-phosphide, computer modelling of. J.E.Sitch 74
Amplifiers, transferred-electron, ambient-temperature effects in. G.S.Hobson Errata 24
Analogue-digital conversion, high-speed electro-optic. S.Wright, I.M.Mason and M.G.F.Wilson 508
Analogue-digital convertor, acoustic-surface-wave. G.L.Baldwin and L.A.Coldren 225
Analysis, numerical, of electrical field inside mesa p^+-n-n^+ avalanche diodes. I.Costea and D.Dascalu 129
Analysis of imperfectly defined circuits. T.B.M.Neill 132
Analysis of open structures by finite-element resolution of equivalent closed-boundary problem. M.C.Decreton 43
Analytical realisation of e.v.c.-a.r.c. networks. J.Dunning-Davies and F.W.Stephenson 103
Analytical small-signal model of the supercritical n^+-n-n^+ GaAs transferred-electron amplifier. B.Kallback 187
Anemometer, integrated silicon. A.F.P.Van Putten and S.Middelhoek 425
Anetnnas, waveguide-fed dielectric spherical. P.S.Neelakantaswamy and D.K.Banerjee 540
Anisotropic precipitation media, deterioration of circular-polarisation clutter cancellation in. A.Hendry and G.C.McCormick 165
Anomalous dispersion of new doubly clad optical fibre. S.Kawakami and S.Nishida 38
Antenna arrays, linear, with broadened nulls. D.Cawsey 291
Antenna gain for earth coverage from geostationary satellite, optimisation of. P.J.Wood and A.Boswell 227
Antennas, active, beam-steered, new technique for, phase-interpolation locking:. A.L.Cullen 81
Antennas, earth-station, site shielding for. M.A.Streete and D.H.Shinn 120 Errata 248
Antennas, thin-wire, nonreflecting broadband capacitive termination for. B.D.Popovic and M.B.Dragovic 314
Anticodes, linear binary, further properties of. P.G.Farrell and A.Farrag 340
Aperture blocking, double, by two wavelength-sized feed-support struts. W.V.T.Rusch 296
Application of digital linearliser with cycle counter to thermocouples. Dragan Pantic 19
Application of the Boolean-difference technique to sequential logic. A.C.Prior and R.G.Bennetts 486
Approximate formula for surface carrier concentration in charge-coupled devices. D.G.Ong and R.F.Pierret 6
Approximation, Gaussian-filter. A.G.J.Holt and J.Attikiouzel 54 Errata 208
Array, cellular-, negabinary multiplier. L.S.Houselander 168
Arrays, ring-sum iterative, fault location and diagnosis procedure in. S.Stevens 195
Asynchronous operation, designing synchronous circuits with partial, using clocked flip-flops with d.c. inputs. B.I.Dervisoglu and H.A.Sholl 287
Asynchronous sequential machines with request-acknowledge operating mode (Machines sequentielles asynchrones fonctionnant en modes appel/reponse). M.Courvoisier and P.Azema 8
Attenuation and change of refractive index due to water vapour in the atmosphere at 890 GHz, measurement of. R.J.Batt, H.L.Bradley and D.J.Harris 470
Attenuation, diversity measurements of, at 37 GHz with solar-tracking radiometers. P.G.Davies and D.L.Croom 482
Attenuation measurement of dielectric waveguide. R.J.Collier and P.D.White 526
Attenuation measurements, waveguide, at 890 GHz. R.J.Batt, A.Doswell and D.J.Harris 145
Attenuation on terrestrial millimetric radio links, model of intense convective rain cells for estimating. B.N.Harden, J.R.Norbury and W.J.K.White 483
Attenuation, s.a.w., on yz $LiNbO_3$, surface-quality effects on. A.J.Slobodnik,Jun. 233
Attenuation statistics and tropospheric emission at 110 GHz. C.J.Gibbins 241
Avalanche-diode oscillators, effect of velocity/field characteristics on the operation of. B.Culshaw and R.A.Giblin 285
Avalanche diodes, effect of carrier diffusion on operation of. B.Culshaw 143
Avalanche diodes, efficiency enhancement in, by depletion-region-width modulation. P.A.Blakey, B.Culshaw and R.A.Giblin 435
Avalanche diodes, mesa p^+-n-n^+, numerical analysis of electric field inside. I.Costea and D.Dascalu 129
Avalanche photodiodes, characterisation of, having nearly-unilateral-carrier multiplication. K.Mouthaan and R.M.Snoeren 118

B

B.C.D. multiplier, fast. D.P.Agrawal 237 Errata 328 348
Bandpass filters, symmetric coupled-resonator, canonical lowpass prototype network for. H.Clark Bell,Jun. 265
Bandwidth, enhancement of, and additional loss caused by controlled mode coupling in quartz fibres. S.Geckeler and D.Schicketanz 465
Bandwidth, increased-, resonant slot array with bidirectional radiation pattern. M.Orefice 396
Bandwidth results for liquid-core optical fibres. W.S.Davies and G.P.Kidd 406
BARITT-diode large signal performance. J.A.C.Stewart 193
Barker codes, optical, with minimum length, systematic search for. P.S.Moharir and A.Selvarajan 245
Barker codes, ternary. P.S.Moharir 460
Basic T matrix patterns for 2-port linear transformation networks in the real domain. J.Glover 495
Beam mode compositions on passage through a Fabry-Perot interferometer. D.H.Ulmer, O.P.Gandhi and R.W.Grow 493
Beam-steered active antennas, new technique for, phase-interpolation locking:. A.L.Cullen 81
Beamwidth compressors, multistrip, acoustic convolver using. P.Defranould and C.Maerfeld 209
Bending losses of multimode optical fibres. A.W.Snyder and D.J.Mitchell 11 Errata 60
$Bi_{12}SiO_{20}$ and related compounds, acoustic-surface-wave properties of. R.G.Pratt, G.Simpson and C.W.O'Connor 369
Bias-dependent oscillations in 10 μm-long transferred-electron oscillators. H.L.Grubin 371
Bidirectional thin-film lumped-element circulator. M.Kitlinski 66
Binary adder/subtractor, b.c.d./, fast. D.P.Agrawal 121 Errata 232
Binary codes with disjoint codebooks and mutual Hamming distance. R.M.F.Goodman 390
Binary waveforms, periodically jittered, simple technique for displaying. Del Monte H.W. 52 Errata 164
Bipolar-transistor arrays, monolithic, root-law circuit using. R.W.J.Barker and B.L.Hart 439
Boolean-difference technique to sequential logic, application of the. A.C.Prior and R.G.Bennetts 486
Boolean function, new method for obtaining the optimal Taylor expansions of a. A.Thayse 543
Boundary, closed-, problem, analysis of open structures by finite-element resolution of equivalent. M.C.Decreton 43
Broadband couplers using nonuniform lines, second-order approximation for the design of. Y.Garault and J.P.Villotte 514
Broadband cryogenic parametric amplifier operating at 11.6 GHz. J.Thirlwell, J.McPherson and R.R.Bell 329
Bucket-brigade delay lines, time-axis conversion with. O.Hansen and D.Rebild 244
Buried-channel c.c.d. models based on a 1-dimensional analysis. H.El-Sissi and R.S.C.Cobbold 198 Errata 408
Buried line radiators, radiation signature of. A.P.Anderson and K.T.Phua 433

C

C.C.D. Chebyshev filter for radar m.t.i. applications. J.E.Bounden and M.J.Tomlinson 89
C.C.D. models, buried-channel, based on a 1-dimensional analysis. H.El-Sissi and R.S.C.Cobbold 198 Errata 408
C.W. operation of ion-implanted GaAs Read-type IMPATT diodes. J.J.Berenz, R.S.Ying and D.H.Lee 157
Cables, multiwire, alternatives in, for digital transmission. W.Van Etten and J.Van Der Plaats 477
Calculation of the radiation patterns of reflector antennas using Kirchhoff integration, reply to comment on. J.Dijk, L.Coolen and E.J.Maanders 184
Calorimeter, milliwatt for the 90-140 GHz waveguide band. N.J.Keen 384
Canonical lowpass prototype network for symmetric coupled-resonator bandpass filters. H.Clark Bell,Jun. 265
Canonical RLC synthesis for a class of immittance functions. S.Tirtoprodjo 388
Capacity, traffic, of product networks. J.P.Sumner 112
Carrier and mobility concentration, simple empirical relationship between. C.Hilsum 259
Carrier concentration, surface, approximate formula for, in charge-coupled devices. D.G.Ong and R.F.Pierret 6
Carrier diffusion on operation of avalanche diodes, effect of. B.Culshaw 143
Cellular-array negabinary multiplier. L.S.Houselander 168
Cellular array, programmable, for sequential-machine realisation. E.W.Page 413
Ceramics, impurity-doped PLZT, photochromic effect in. K.Tanaka and Y.Hamakawa 350
Characterisation of avalanche photodiodes having nearly-unilateral-carrier multiplication. K.Mouthaan and R.M.Snoeren 118
Characteristics of periodic acoustic-surface-wave grating filters. R.D.Weglein and O.W.Otto 68
Charge-coupled devices, approximate formula for surface carrier concentration in. D.G.Ong and R.F.Pierret 6
Charge-coupled devices, video integration using. J.B.G.Roberts, M.Chesswas and R.Eames 169
Charge storage due to u.v. irradiation in aluminium-oxide films. M.S.I.Rageh, A.E.Guile and D.V.Morgan 429
Chebyshev filter, C.C.D., for radar m.t.i. applications. J.E.Bounden and M.J.Tomlinson 89
Circuit analysis, efficient statistical. K.-H.Leung and R.Spence 360
Circuit realisation of negative-impedance convertor at v.h.f.. H.Yogo and K.Kato 155
Circuit, simple for computing $(x^2 + y^2)^{1/2}$. J.S.C.Tan 455
Circuits, imperfectly defined, analysis of. T.B.M.Neill 132
Circuits, linear nonreciprocal, an efficient algorithm for, tracking sensitivity:. K.-H.Leung and R.Spence 377
Circular, coaxial-to-, waveguide junction, admittance of a. M.Razaz and J.B.Davies 324
Circular coaxial waveguides, propagation in two. I.I.Rabinowitz and J.A.Staniforth 415 Errata 468
Circular-polarisation clutter cancellation in anisotropic precipitation media, deterioration of. A.Hendry and G.C.McCormick 165
Circular-waveguide coupling problems, finite-difference equations in. G.Falciasecca 18
Circulator, bidirectional thin-film lumped-element. M.Kitlinski 66
Class-ABD amplifier. A.R.Daniels and D.Slattery 364

Class of nonorthogonal transformations for signal processing. R.C.French and R.F.Mitchell 78
Class of transfer functions with finite stopband attenuation with both passband and stopband exhibiting equiripple behaviour. C.Nightingale 381
Closed-loop deadbeat control, algebraic method for. J.D.Aplevich and J.H.Anderson 222
Clutter cancellation, circular-polarisation, in anisotropic precipitation media, deterioration of. A.Hendry and G.C.McCormick 165
Coaxial-to-circular waveguide junction, admittance of a. M.Razaz and J.B.Davies 324
Codes, binary linear block, some new results on. A.A.Hashim and A.G.Constantinides 31
Codes, binary, with disjoint codebooks and mutual Hamming distance. R.M.F.Goodman 390
Codes, good block, derived from cyclic codes. P.Piret 391
Codes, nonlinear binary, two dual families of. J.M.Goethals 471
Codes, optical Barker. P.S.Moharir and A.Selvarajan 154
Codes, optical Barker, with minimum length, systematic search for. P.S.Moharir and A.Selvarajan 245
Codes, permutation-decodable binary cyclic. P.W.Yip, S.G.S.Shiva and E.L.Cohen 467
Codes, shortened cyclic block, detection of synchronism slip by. J.D.Martin 327
Codes, ternary Barker. P.S.Moharir 460
Coding scheme, variable-frame-rate, for speech-analysis/synthesis systems. J.N.Holmes 101 Errata 248
Coil, image of a, in relation to the gauging of distance of metal surfaces. H.Sutcliffe 409 Errata 544
Collisional series resistance in electron beams. A.H.W.Beck 256
Colour effects, electro-optical, by twisted nematic liquid crystal. I.A.Shanks 90
Colour filter, fast-switching twisted nematic electro-optical shutter and. E.P.Raynes and I.A.Shanks 114
Comb-type slow-wave structure for travelling-wave masers. E.L.Kollberg 249
Combinational logic network, extension of Boolean differentiation to define a test for a specific logic fault in a. A.C.Prior 353
Comment on determination of frequency response direct from crosscorrelation functions of sinusoidal signals. W.F.Lovering 259 330
Comment on low-frequency noise in incandescent tungsten filaments. D.A.Bell 368 369
Comment on Picosecond mode delays in gradient-refractive-index fibres. R.A.Steinberg 375
Comment on some errors in the calculation of the radiation patterns of reflector antennas, using Kirchhoff integration. H.A.J.M.Van Hoof 70
Communication, satellite, at 11.6 GHz, site-diversity advantage for. J.E.Allnutt and J.E.Hall 527
Communication, satellite, subjective evaluation of single-channel-per-carrier frequency-modulated system for. R.J.Kernot and B.G.Evans 173
Communication system, demand-assigned multiple-access, optimal signalling of demand in a. J.B.Anderson 270
Comparative performance of equal-valued-capacitor active RC structures. F.W.Stephenson Errata 524
Comparator, impedance, using digitally generated sinewaves with accurate phase relationships. J.R.Kinard and L.A.Harris 146
Comparison of noise parameters of diffused and ion-implanted microwave transistors. S.Ludvik and P.Froess 40
Complete disturbance isolation in linear feedback systems. J.L.Willems 319
Computer analysis of edge-coupled planar structures. R.Jansen 520
Computer modelling of low-noise indium-phosphide amplifiers. J.E.Sitch 74
Computer procedure for deriving ionospheric characteristic M(3000)F2 from h (f) data. P.A.Bradley 323
Computer program for s.p. partitions of sequential machines (Computer Program Description). A.E.A.Almaini and M.E.Woodward (Computer-program description) 445
Computers, digital stochastic, moving-average output interface for. A.J.Miller, A.W.Brown and P.Mars 419
Computing $(x^2 + y^2)^{1/2}$, simple circuit for. J.S.C.Tan 455
Concentrator, traffic, product network as a. J.P.Sumner 436
Conductor, plane, Poynting's vector and the wavefronts near a. E.-G.Neumann and H.D.Rudolph 446
Contact resistance of GaAs Schottky barriers, role of radiation damage on the. P.D.Taylor and D.V.Morgan 428
Continued-fraction expansion about a general point, linear-system reduction by. A.M.Davidson and T.N.Lucas 271
Continuous monitor of dangerous levels of microwave power. Hannah S., H.Hartnagel and J.T.Kennair 274
Contraction-mapping approach, feedback stability of open-loop unstable systems:. D.H.Owens 238 Errata 348
Control circuit for ferrite phase shifter. T.P.Pulford, R.J.Risk and C.D.Watkins 194
Control system, 1st order thyristor-bridge, stability of. M.S.Ismail and P.Bertrand 75
Convergence, relative, in mode-matching solutions of microstrip problems. H.Hofmann 126
Convertor, GaAs-GaAlAs anti-stokes light. H.Beneking, G.Schul, P.Mischel and A.Gattung 346
Convertor, negative-impedance, circuit realisation of, at v.h.f.. H.Yogo and K.Kato 155
Convolver, a.s.w.-, bilinear-coefficient variation on y-cut lithium niobate. M.D.Motz and I.M.Mason 83
CoO and CoO(Li), switching in thin polycrystalline films of. B.Lalevic, N.Fuschillo, W.Wang and B.Kuliyeg 65
CoO(Li) and CoO, switching in thin polycrystalline films of. B.Lalevic, N.Fuschillo, W.Wang and B.Kuliyeg 65
Correlation accuracy, linear scale-factor error and optimum filter bandwidth for. R.F.Webber and W.H.Delashmit,Jun. 414
Correlation, cross-, functions of sinusoidal signals, determination of frequency response direct from, comment on. W.F.Lovering 259 330
Correlation, cross-, functions of sinusoidal signals, determination of system frequency response direct from. J.D.Lamb 176 330
Counter-coder principle, p.c.m., for segmented A law. T.A.Ramstad and S.Andresen 77
Coupled-mode equations in terms of redefined even- and odd-mode waves. B.J.Orth and R.A.Speciale 423
Coupled-mode-velocity C section filters, unequal. J.L.Allen and W.J.Barnes 128
Coupled-resonator bandpass filters, symmetric, canonical lowpass prototype network for. H.Clark Bell,Jun. 265
Coupler, plug-in fibre-to-fibre. M.L.Dakss and A.Bridger 280 Errata 392
Couplers, broadband, using nonuniform lines, second-order approximation for the design of. Y.Garault and J.P.Villotte 514
Crosscorrelator, single-bit, for detecting Gaussian reflections in noise, probability-density function of output of. J.E.Howard 71 Errata 248
Crosspolarisation isolation and discrimination. P.A.Watson and M.Arbabi Errata 208
Cryogenic parametric amplifier, broadband, operating at 11.6 GHz. J.Thirlwell, J.McPherson and R.R.Bell 329
Crystal filters, bridged, equivalent network for. Man Shek Lee 507
Current-controlled oscillator. R.Sharma and T.R.Viswanathan 466
Current/voltage relations in punchthrough transistors. P.J.Ward and K.D.Perkins 374

D

D.D.A. register transfers for 3rd-order Kutta integration. P.W.Baker 223 Errata 368
Data channels, logicfree. D.Zissos 362 Errata 408
Data network, packet-switched, optimum packet size in a. J.C.Majithia and R.Bhar 191 Errata 268
Decoupling of time-varying systems using dynamic compensators. N.Viswanadham 366
Decreasing f.m. noise in absorption e.p.r. spectrometer. G.C.M.Meijer 29
Delay line, $LiNbO_3$-quartz-$LiNbO_3$ composite, with zero linear temperature coefficient of delay. M.T.Wauk 109
Delay-line processor, magnetic-, pulse compression using the. T.W.Cole 498
Delay lines, acoustic-surface-wave disc. I.M.Mason, E.Papadofrangakis and J.Chambers 63
Demonstrating feasibility of evolutionary approach to linear-network synthesis, some examples. O.P.D.Cutteridge and P.H.Di Mambro 30
Density function, probability-, of output of single-bit crosscorrelator for detecting Gaussian reflections in noise. J.E.Howard 71 Errata 248
Depolarisation, electrical, surface-acoustic-wave phase shifter using. J.L.Gates and R.M.White 231
Describing function, inverse random. D.P.Atherton 82
Design considerations for shaped-beam reflectors. S.S.Bhave, S.H.Damle and S.M.Prasad 457
Design of minimum-phase digital filters from linear-phase prototype. F.E.Burris 69
Design of recursive digital filters approximating to arbitrary prescribed magnitude responses. P.Thajchayapong and P.J.W.Rayner 159 Errata 248
Designing synchronous circuits with partial asynchronous operation using clocked flip-flops with d.c. inputs. B.I.Dervisoglu and H.A.Sholl 287
Detecting and mixing at 30 THz, using a Schottky diode in. M.Pyee, A.Clairon and J.Auvray 500
Detecting Gaussian reflections in noise, probability-density function of output of single-bit crosscorrelator for. J.E.Howard 71 Errata 248
Detection of synchronism slip by shortened cyclic block codes. J.D.Martin 327
Detector, subnanosecond-transient, using emitter-coupled logic gates. D.G.Whitehead 47
Deterioration of circular-polarisation clutter cancellation in anisotropic precipitation media. A.Hendry and G.C.McCormick 165
Determination of system frequency response direct from cross-correlation functions of sinusoidal signals. J.D.Lamb 176 330
Dielectric circles and spheres, whispering-gallery rays within. A.W.Snyder and D.J.Mitchell 16
Dielectric disc resonators, microwave, best approximation for design of natural resonance frequencies of. Y.Garault and P.Guillon 505
Dielectric properties of liquids with a microslotline, new method for measuring. Y.Druelle, J.Citerne and Raczy L. 117
Dielectric tubes, contacting, electromagnetic propagation along. J.A.Arnaud 269
Dielectric waveguide, attenuation measurement of. R.J.Collier and P.D.White 526
Dielectric waveguides for millimetre-wavelength transmission. P.J.B.Clarricoats, A.D.Olver and A.M.B.Al-Hariri 1
Dielectric waveguides, pyramidal, radiation patterns of. N.Brooking, P.J.B.Clarricoats and A.D.Olver 33
Difference equations, finite-, in circular-waveguide coupling problems. G.Falciasecca 18
Diffraction coefficients, physical-optics, for a paraboloid. W.V.T.Rusch 358
Diffraction, edge, at a curved screen. G.L.James 167
Diffused glass fibres, refractive-index profiles for. R.B.Dyott and M.C.Brain 131
Diffusion, carrier, on operation of avalanche diodes, effect of. B.Culshaw 143
Digital filers, wave, alternative approach to design of. A.G.Constantinides 59
Digital filter, method to suppress limit-cycle oscillations in. K.M.Wong and R.A.King 55
Digital filters, 2nd-order, improvement of overflow behaviour of, by means of error feedback. T.Claasen and L.Kristiansson 240
Digital filters, design of, approximating to arbitrary prescribed magnitude responses. P.Thajchayapong and P.J.W.Rayner 159 Errata 248
Digital filters in the discrete space of coefficients, optimisation of. R.Boite, H.Dubois and H.Leich 179
Digital filters, jump phenomenon in. L.Kristiansson 14
Digital filters, minimum-phase, design of, from linear-phase prototype. F.E.Burris 69
Digital filters, nonrecursive digital filters with. L.G.Cuthbert 397
Digital hardware for approximating to the amplitude of quadrature pairs. F.Braun and H.Blaser 255
Digital lineariser, application of, with cycle counter to thermocouples. Dragan Pantic 19
Digital matched filters in data receivers, implementation of. G.B.Lockhart 311
Digital single-sideband modulators. P.M.Terrell and P.J.W.Rayner 257
Digital stochastic computers, moving-average output interface for. A.J.Miller, A.W.Brown and P.Mars 419
Digital transmission, alternatives in multiwire cables for. W.Van Etten and J.Van Der Plaats 477
Digital transmission by frequency-shift keying with zero intersymbol interference. K.W.Cattermole 349
Digitally generated sinewaves with accurate phase relationships, impedance comparator using. J.R.Kinard and L.A.Harris 146
Diode, BARITT-, large-signal performance. J.A.C.Stewart 193
Diode lasers, single heterostructure, measurement of the effect of injected carriers on the p-n refractive-index step in. P.R.Selway, G.H.B.Thompson, G.D.Henshall and J.E.A.Whiteaway 453
Diode monostable circuits, high-repetition-rate step-recovery-. J.M.Coles and R.J.Smith-Saville 417
Diodes, GaAs-d.h.s. laser, effects of degradation-induced absorption in. D.Schicketanz, J.Wittmann and G.Zeidler 252
Diodes, step-recovery, novel wideband frequency divider employing two. M.Karadeniz 283
Dipolar switch, two-port. J.Helszajn 46
Direct evaluation of parameter sensitivity functions, technique for. E.H.T.El-Shirbeeny, D.J.Murray-Smith and D.J.Winning 530
Direct method for pole assignment in single-input systems with output feedback. H.Seraji 243
Direct simultaneous displacement and velocity measurement by a single noncontacting capacitance transducer. B.E.Jones and A.Behich 376

Directional couplers, high-directivity microstrip. G.Haupt and H.Delfs 142
Discriminator, f.m.-, distortion, dynamic. N.M.Blachman 185
Dispersion, pulse, for single-mode operation of multimode cladded optical fibres. W.A.Gambling, D.N.Payne and H.Matsumura 148
Displacement and velocity measurement, direct simultaneous, by a single noncontacting capacitance transducer. B.E.Jones and A.Behich 376
Display devices, twisted nematic liquid-crystal electro-optic, improved contrast uniformity in. E.P.Raynes 141
Displays, new cholesteric liquid crystals for. G.W.Gray, K.J.Harrison, J.A.Nash and E.P.Raynes Errata 60
Distance of metal surfaces, image of a coil in relation to the gauging of. H.Sutcliffe 409 Errata 544
Distributed chain structure with unreliable nodes, reliability consideration for. R.J.Morgan 106
Disturbance isolation, complete, in linear feedback systems. J.L.Willems 319
Disturbance localisation in linear time-invariant multivariable systems. S.L.Shah, D.G.Fisher and D.E.Seborg 513
Diversity, field-, antenna for u.h.f. mobile radio. J.D.Parsons 91
Diversity measurements of attenuation at 37 GHz with solar-tracking radiometers. P.G.Davies and D.L.Croom 482
Double aperture blocking by two wavelength-sized feed-support struts. W.V.T.Rusch 296
Duoconical monopole. K.A.Al-Badwaihy 199
Dyadic modification to sequential technique for multivariable-control-system design. D.H.Owens 25
Dynamic f.m.-discriminator distortion. N.M.Blachman 185

E

Earth-station antennas, site shielding for. M.A.Streete and D.H.Shinn 120 Errata 248
Echo canceller, high-speed adaptive. H.Hoge 232
Edge diffraction at a curved screen. G.L.James 167
Effect of carrier diffusion on operation of avalanche diodes. B.Culshaw 143
Effect of leakage current on the power output of S band TRAPATT oscillators. J.M.Borrego, R.J.Gutmann and H.J.Geipel 277
Effect of rain on 4 GHz troposcatter radio paths. M.P.M.Hall and G.R.Dowling 210
Effect of velocity/field characteristics on the operation of avalanche diode oscillators. B.Culshaw and R.A.Giblin 285
Effects of degradation-induced absorption in GaAs-d.h.s. laser diodes. D.Schicketanz, J.Wittmann and G.Zeidler 252
Efficiency considerations of high- low- and low-high-low-doping GaAs IMPATT diodes. S.O'Hara and J.R.Grierson 541
Efficiency enhancement in avalanche diodes by depletion-region-width modulation. P.A.Blakey, B.Culshaw and R.A.Giblin 435
Efficient statistical circuit analysis. K.H.Leung and R.Spence 360
Electric fields, high, electron velocity in n GaAs at. P.A.Houston and A.G.R.Evans 332
Electrically controlled acoustic-surface-wave filters. M.I.Borisov, D.V.Stojanov, V.V.Veikov and J.I.Burov 519
Electro-optic, acousto-, interaction, image scanning by. M.Luukkala and P.Merilainen 80
Electro-optical colour effects by twisted nematic liquid crystal. I.A.Shanks 90
Electro-optical shutter and colour filter, fast-switching twisted nematic. E.P.Raynes and I.A.Shanks 114
Electrochemical technique for the continuous automatic plotting of semiconductor donor concentration over large depths. T.Ambridge and M.M.Faktor 204
Electrodes, interdigital, wedge-wave transduction by means of. M.Cabus, P.E.Lagasse, J.C.Chambers and I.M.Mason 97
Electromagnetic field, 6-component, solution of, in three space dimensions and time by the t.l.m. method. S.Akhtarzad and P.B.Johns 535
Electromagnetic propagation along contacting dielectric tubes. J.A.Arnaud 269
Electromagnetic waves, new modal representation of, supported by horizontal wire above dissipative earth. R.G.Olsen and D.C.Chang 92
Electron beams, collisional series resistance in. A.H.W.Beck 256
Electron-drift-velocity measurements in silicon at high temperatures and their emppirical relation to electric field. C.Canali, G.Majni, R.Minder and G.Ottaviani 523
Electron dynamics in short-channel InP field-effect transistors. T.J.Maloney and J.Frey 115
Electron velocity in n GaAs at high electric fields. P.A.Houston and A.G.R.Evans 332
Emission, tropospheric, and attenuation statistics at 110 GHz. C.J.Gibbins 241
End stage, integrated class-B. R.G.van Vliet 317
Enhancement of bandwidth and additional loss caused by controlled mode coupling in quartz fibres. S.Geckeler and D.Schicketanz 465
Epitaxially grown double-drift silicon IMPATT diodes at 60 to 90 GHz. A.M.Howard, D.J.Smith and J.J.Purcell 443
Equivalent network for bridged crystal filters. Man Shek Lee 507
Error-correcting, single-, codes, multilevel. P.G.Farrell and Z.Al-Bandar 347 Errata 408
Error rates for biternary frequency modulation. T.T.Tjhung, B.L.Wee, T.S.Chia and O.H.Tan 295
Evaluation of the time distribution of t.v. frame-difference elements. L.Arena and F.A.Cassara 205
Exact synthesis of active lowpass frequency-dependent negative-resistance filters. C.Nightingale and J.M.Rollett 34
Excitation of self-focusing optical fibre by Gaussian beam. S.Nemoto and G.L.Yip 150
Experimental verification of inhomogeneous field distribution in negatively bevelled high-voltage p-n junctions by means of photomultiplication. M.Bakowski 292
Explicit expressions for geometrical dimensions of symmetrical coupled striplines. L.J.P.Linner 45
Extension of Boolean differentiation to define a test for a specific logic fault in a combinational logic network. A.C.Prior 353

F

F.E.T. amplifier, 6 GHz, operation of, at reduced ambient temperature. P.Bura 181
F.E.T.S., GaAs Schottky-gate, low-frequency noise in. J.Graffeuil and J.Caiminade 266
F.M. click rates. Roberts J.H. 16 Errata 208
F.M. click rates: a simple derivation. N.M.Blachman and J.H.Roberts 305
F.M.-discriminator distortion, dynamic. N.M.Blachman 185
F.M. oscillator injection locked by an f.m. signal, intermodulation in an. G.Endersz 432
F.S.K. performance, improvements in coherent. M.Tomlinson and A.E.Methiwalla 393
Far-field emission patterns of single heterostructure GaAs lasers. G.D.Henshall and J.E.A.Whiteaway 326
Fast b.c.d./binary adder/subtractor. D.P.Agrawal 121 Errata 232
Fast b.c.d. multiplier. D.P.Agrawal 237 Errata 328 348
Fast generation of uniformly distributed pseudorandom numbers with floating-point representation. A.J.Walker 533
Fast modulo-number Hadamard transformer for a sequency-division multiplexer. E.Insam 343
Fast-switching twisted nematic electro-optical shutter and colour filter. E.P.Raynes and I.A.Shanks 114
Fault location and diagnosis procedure in ring-sum iterative arrays. S.Stevens 195
Fault, specific logic, in a combinational logic network, extension of Boolean differentiation to define a test for a. A.C.Prior 353
Feedback and the transfer-function matrix of a multivariable system, relationship between. R.V.Patel 386
Feedback, error, improvement of overflow behaviour of 2nd-order digital filters by means of. T.Claasen and L.Kristiansson 240
Feedback, full output, sequential design of linear multivariable systems retaining. D.H.Owens 79
Feedback, output, direct method for pole assignment in single-input systems with. H.Seraji 243
Feedback stability of open-loop unstable systems: contraction-mapping approach. D.H.Owens 238 Errata 348
Feedback systems, linear, complete disturbance isolation in. J.L.Willems 319
Ferrite phase shifter, control circuit for. T.P.Pulford, R.J.Risk and C.D.Watkins 194
Ferromagnetic-resonance absorption, new edge-guided mode isolator using. T.Noguchi, Y.Akaiwa and H.Katoh 501
Fibre, low-loss optical glass, with Al_2O_3-SiO_2 core. S.Kobayashi, H.Nakagome, N.Shimizu, H.Tsuchiya and T.Izawa 410
Fibre, low-loss plastics-cladding. K.Yoshimura, T.Nakahara, A.Tsukamoto and A.Isomura 534
Fibre, multimode optical, mode conversion due to tilts in. P.L.Chu 459
Fibre, optical, anomalous dispersion of new doubly clad. S.Kawakami and S.Nishida 38
Fibre, optical, new silica-based low-loss. D.N.Payne and W.A.Gambling 289
Fibre, optical, propagation characteristics of radially inhomogeneous. G.L.Yip and Y.H.Ahmew 37
Fibre, optical, self-focusing, excitation of, by Gaussian beam. S.Nemoto and G.L.Yip 150
Fibre, optical-, waveguide, water-free silica-based, preparation of. D.M.Payne and W.A.Gambling 335
Fibre, optical-, waveguide with a single-crystal core. J.L.Stevenson and R.B.Dyott 449
Fibre-to-fibre coupler, plug-in. M.L.Dakss and A.Bridger 280 Errata 392
Fibres, diffused glass, refractive-index profiles for. R.B.Dyott and M.C.Brain 131
Fibres, GeO_2-SiO_2-cored optical, measurements on waveguide properties of. P.W.Black, J.Irven, K.Byron, I.S.Few and R.Worthington 239
Fibres, gradient-refractive-index, picosecond mode delays in. F.P.Kapron 235
Fibres, gradient-refractive-index, picosecond mode delays in. R.A.Steinberg 375
Fibres, liquid-filled optical, significance of leaky rays in. W.S.Davies 426
Fibres, multimode optical, bending losses of. A.W.Snyder and D.J.Mitchell 11 Errata 60
Fibres, optical, and the Goos-Hanchen shift. W.A.Gambling, D.N.Payne, H.Matsumura and M.Medlicott 99
Fibres, optical, multimode cladded, pulse dispersion for single-mode operation of. W.A.Gambling, D.N.Payne and H.Matsumura 148
Fibres, optical, rays and modes in. L.B.Felsen 95
Fibres, quartz, enhancement of bandwidth and additional loss caused by controlled mode coupling in. S.Geckeler and D.Schicketanz 465
Fibres, soda-lime/silica-cladded, optical losses in, produced from composite rods. C.E.E.Stewart and P.W.Black 53
Fibres, sodium-borosilicate glass, optical properties of. C.R.Day, J.E.Midwinter, G.R.Newns, R.W.J.Uffen and R.Worthington 450
Field distribution, inhomogeneous, experimental verification of, in negatively bevelled high-voltage p-n junctions by means of photomultiplication. M.Bakowski 292
Field-diversity antenna for u.h.f. mobile radio. J.D.Parsons 91
Field-effect transistor, V-shaped notched-channel. T.D.Mok and C.A.T.Salama 478
Field-effect transistors, m.o.s., current/voltage characteristics of, in the linear and saturation region. H.Schwab 356
Field-effect transistors, short-channel InP, electron dynamics in. T.J.Maloney and J.Frey 115
Field, velocity/, characteristic of $Ga_xIn_{1-x}Sb$ calculated by the Monte Carlo method. K.Sakai, T.Ikoma, Y.Adachi and H.Yanai 402
Filter bandwidth, optimum, and linear scale-factor error for correlation accuracy. R.F.Webber and W.H.Delashmit,Jun. 414
Filter bank, 16-channel surface-acoustic-wave grating-, for real-time spectral analyser. J.Melngailis and G.T.Flynn 107
Filter, C.C.D. Chebyshev, for radar m.t.i. applications. J.E.Bounden and M.J.Tomlinson 89
Filter, Gaussian-, approximation. A.G.J.Holt and J.Attikiouzel 54 Errata 208
Filter, narrowband microwave, using exponential lines. R.T.Irish 302
Filters, acoustic-surface-wave, electrically controlled. M.I.Borisov, D.V.Stojanov, V.V.Veikov and J.I.Burov 519
Filters, acoustic-surface-wave, synthesis of, using double electrodes. R.F.Mitchell and D.W.Parker 512
Filters, active lowpass frequency-dependent negative-resistance, exact synthesis of. C.Nightingale and J.M.Rollett 34
Filters by insertion loss, selection of zeros of reflection coefficient in design of. J.B.Marinño 133
Filters, overtone monolithic quartz, interresonator coupling for. R.Topolevsky and J.W.Burgess 477
Filters, periodic acoustic-surface-wave grating, characteristics of. R.D.Weglein and O.W.Otto 68
Filters, periodic grating, scattering of acoustic surface waves from. O.W.Otto and R.D.Weglein 383
Filters, surface-acoustic-wave rejection, using mode conversion/reconversion. G.Craven and D.M.Lush 218
Filters, unequal coupled-mode-velocity C section. J.L.Allen and W.J.Barnes 128
Filters, wave digital, alternative approach to design of. A.G.Constantinides 59
Finite-difference equations in circular-waveguide coupling problems. G.Falciasecca 18
Finite-element resolution of equivalent closed-boundary problem, analysis of open structures by. M.C.Decreton 43
Finite element simulation, two-dimensional, of semiconductor devices. J.J.Barnes and R.J.Lomax 341
Flip-flops in functional memory. L.A.M.Bennett 177
Frequency divider, novel wideband, employing two step-recovery diodes. M.Karadeniz 283
Frequency domain, gradients of a performance index arising from network optimisation in the. T.Matsumoto 263
Frequency markers providing resolution of 1 kHz for swept-microwave measurements. W.J.R.Hoeffer and G.R.Painchaud 123
Frequency-modulated system for satellite communication, subjective evaluation of single-channel-per-carrier. R.J.Kernot and B.G.Evans 173

Frequency modulation, biternary, error rates for. T.T.Tjhung, B.L.Wee, T.S.Chia and O.H.Tan 295
Frequency modulator, ideal. J.O.Voorman 387
Frequency multiplication, optimum, with resistive diodes. W.M.Van Loock 158
Frequency response direct from crosscorrelation functions of sinusoidal signals, determination of, comment on. W.F.Lovering 259 330
Frequency response, system, direct from cross-correlation functions of sinusoidal signals, determination of. J.D.Lamb 176 330
Frequency-shift keying with zero intersymbol interference, digital transmission by. K.W.Cattermole 349
Frequency-stable pulsed Gunn oscillators. E.D.Bullimore, B.J.Downing and F.A.Myers 220
Further comments on t.i.r. deflector/modulator performance. M.T.V.Scibor-Rylski 4
Further properties of linear binary anticodes. P.G.Farrell and A.Farrag 340

G

GaAs 50 GHz Schottky-barrier IMPATT diodes. T.Watanabe, H.Kodera and M.Migitaka 7
GaAs 50 GHz Schottky-barrier, IMPATT diodes. T.Watanabe, H.Kodera and M.Migitaka 7
GaAs/(GaAl)As lasers, single heterostructure, delays and Q switching in, role of optical guiding in critical-temperature behaviour. G.H.B.Thompson, P.R.Selway, G.D.Henshall and J.E.A.Whiteaway 456
GaAs-GaAlAs anti-stokes light convertor. H.Beneking, G.Schul, P.Mischel and A.Gattung 346
GaAs IMPATT diodes, high-efficiency proton-isolated. J.D.Speight, P.Leigh, N.McIntyre, I.G.Groves, S.O'Hara and P.Hemment 98
GaAs, n, at high electric fields, electron velocity in. P.A.Houston and A.G.R.Evans 332
GaAs planar Gunn digital devices with subsidiary anode. K.Kurumada, T.Mizutani and M.Fujimoto 161
GaAs Read-type IMPATT diodes, ion-implanted, c.w. operation of. J.J.Berenz, R.S.Ying and D.H.Lee 157
Gaussian beam, excitation of self-focusing optical fibre by. S.Nemoto and G.L.Yip 150
Gaussian-filter approximation. A.G.J.Holt and J.Attikiouzel 54 Errata 208
Gaussian reflections in noise, probability-density function of output of single-bit crosscorrelator for detecting. J.E.Howard 71 Errata 248
$Ga_xIn_{1-x}Sb$, velocity/field characteristic of, calculated by the Monte Carlo method. K.Sakai, T.Ikoma, Y.Adachi and H.Yanai 402
Generation, fast, of uniformly distributed pseudorandom numbers with floating-point representation. A.J.Walker 533
Generation of reflection-coefficient standards of any value by means of a 3-port coaxial junction at microwave frequencies. D.Woods 379
Generation of simple paths of graph by decomposition. I.Cahit and R.Cahit 13
Generation/recombination of carriers in p-n junctions. D.V.Morgan and P.Ashburn 85
Generator, Miller long-duration sweep. D.Z.Danilovič, D.I.Veselinovic and M.V.Sobajič 152
Generator, widerange variable-pulse. F.Heutink 57 Errata 208
Glass fibres, sodium-borosilicate, optical properties of. C.R.Day, J.E.Midwinter, G.R.Newns, R.W.J.Uffen and R.Worthington 450
Glass, low-loss, for optical transmission. G.R.Newns, K.J.Beales and W.J.Duncan 201
Good block codes derived from cyclic codes. P.Piret 391
Gradients of a performance index arising from network optimisation in the frequency domain. T.Matsumoto 263
Graph, generation of simple paths of, by decomposition. I.Cahit and R.Cahit 13
Gunn digital devices, GaAs planar, with subsidiary anode. K.Kurumada, T.Mizutani and M.Fujimoto 161
Gunn-diode oscillator, pulsed: 40 W at 16 GHz. R.Stevens, D.Tarrant and F.A.Myers 531
Gunn effects in $In_xGa_{1-x}Sb$ ($0 \leqslant X \leqslant 0.16$). A.Hojo and Kuru I. 61
Gunn-oscillator electronic tuning range and reactance compensation: an experimental result at X band. C.S.Aitchison 488
Gunn oscillator, varactor-tuned, method of improving tuning range obtained from a. C.S.Aitchison 94
Gunn oscillators, frequency-stable pulsed. E.D.Bullimore, B.J.Downing and F.A.Myers 220
Gunn oscillators, temperature compensation of. R.Stevens and F.A.Myers 463
Gyrator, active-, circuit, new. H.J.Orchard and A.N.Willson,Jun. 261

H

h (f) data, computer procedure for deriving ionospheric characteristic M(3000)F2 from. P.A.Bradley 323
Halfadders modulo 2^n using read-only memories. M.A.Bin Nun and M.E.Woodward 213
Hall-mobility measurements, microwave, on vanadium bronze $V_2O_5(Na_{0.33}V_2O_5$ and $Cu_{0.0083}V_2O_5$). M.M.Sayed and J.H.Perlstein 178 Errata 288
Hamming distance, mutual, binary codes with disjoint codebooks and. R.M.F.Goodman 390
Hard-vacuum pyroelectric vidicon: suitable materials. R.Watton, G.R.Jones and C.Smith 469
Hardware, digital, for approximating to the amplitude of quadrature pairs. F.Braun and H.Blaser 255
High-directivity microstrip directional couplers. G.Haupt and H.Delfs 142
High-efficiency InP transferred-electron oscillators. D.J.Colliver, L.D.Irving, J.E.Pattison and H.D.Rees 221
High-efficiency microwave oscillations that use new 4-layer structure. B.Culshaw and R.A.Giblin 27
High-efficiency proton-isolated GaAs IMPATT diodes. J.D.Speight, P.Leigh, N.McIntyre, I.G.Groves, S.O'Hara and P.Hemment 98
High electric fields, electron velocity in n GaAs. P.A.Houston and A.G.R.Evans 332
High frequencies, mathematical model with minimum number of independent coefficients for transistors for. E.Faldella and G.Iuculano 26
High-frequency operation of surface-acoustic-wave multielectrode transducers. H.Engan 395
High-repetition-rate step-recovery-diode monostable circuits. J.M.Coles and R.J.Smith-Saville 417
High-speed adaptive echo canceller. H.Hoge 232
High-speed electro-optic analogue-digital conversion. S.Wright, I.M.Mason and M.G.F.Wilson 508
High-speed m sequence generation. J.T.Harvey 480
Hoos-Hanchen shift, optical fibres and the. W.A.Gambling, D.N.Payne, H.Matsumura and M.Medlicott 99

I

Ideal frequency modulator. J.O.Voorman 387
Identification of the Volterra kernels of a process containing single-valued nonlinearities. R.V.Webb 344
Identification techniques, continuous-gradient, improvement of by Lyapunov's second method. A.J.Udink Ten Cate 474
Image-cancelling mixers at 2 GHz. O.Palamutcuoglu, J.G.Gardiner and D.P.Howson 104
Image of a coil in relation to the gauging of distance of metal surfaces. H.Sutcliffe 409 Errata 544
Image scanning by acousto-electro-optic interaction. M.Luukkala and P.Merilainen 80
Image tube, pyroelectric thermal. H.A.H.Boot and J.G.Castledine 452
Immittance functions, canonical RLC synthesis for a class of. S.Tirtoprodjo 388
IMPATT cascaded amplifier, silicon: 6 W (c.w.) at 9.6 GHz. P.W.Braddock, R.D.Hodges and R.Genner 538
IMPATT collector, transistor improvements using an. A.M.Winstanley and J.E.Carroll 516
IMPATT diodes, epitaxially grown double-drift silicon, at 60 to 90 GHz. A.M.Howard, D.J.Smith and J.J.Purcell 443
IMPATT diodes, GaAs 50 GHz Schottky-barrier. T.Watanabe, H.Kodera and M.Migitaka 7
IMPATT diodes, high-efficiency proton-isolated GaAs. J.D.Speight, P Leigh, N.McIntyre, I.G.Groves, S.O'Hara and P.Hemment 98
IMPATT diodes, high- low- and low-high-low-doping GaAs, efficiency considerations of. S.O'Hara and J.R.Grierson 541
IMPATT diodes, ion-implanted GaAs Read-type, c.w. operation of. J.J.Berenz, R.S.Ying and D.H.Lee 157
Impedance, characteristic, of microstrip, simple method for the calculation of the. S.John and P.Arlett 188
Impedance comparator using digitally generated sinewaves with accurate phase relationships. J.R.Kinard and L.A.Harris 146
Impedance, high-, mode conversion/reconversion, waveguide filters using. G.Craven 216
Impedance, low-frequency, of a circular loop over a conducting ground. J.R.Wait and K.P.Spies Errata 248
Imperfectly defined circuits, analysis of. T.B.M.Neill 132
Implementation of 3-valued logic with c.o.s.m.o.s. integrated circuits. H.T.Mouftah and I.B.Jordan 441
Implementation of digital matched filters in data receivers. G.B.Lockhart 311
Improved algorithm for low-order real digital circular convolution. P.M.Terrell and P.J.W.Rayner 224
Improved algorithm for state-space synthesis. H.Singh and M.Lal 268
Improved contrast uniformity in twisted nematic liquid-crystal electro-optic display devices. E.P.Raynes 141
Improved phase-lock-loop performance at medium to low s.n.r.. J.D.Daley 365
Improvement of continuous-gradient identification techniques by Lyapunov's second method. A.J.Udink Ten Cate 474
Improvement of overflow behaviour of 2nd-order digital filters by means of error feedback. T.Claasen and L.Kristiansson 240
Improvement of semiconducting films for acoustoelectric amplification. J.Henaff and M.Le Contellec 49
Improvements in coherent f.s.k. performance. M.Tomlinson and A.E.Methiwalla 393
Increased-bandwidth resonant slot array with bidirectional radiation pattern. M.Orefice 396
Indium-phosphide amplifiers, low-noise, computer modelling of. J.E.Sitch 74
Indium-phosphide c.w. transferred-electron amplifiers. R.M.Corlett, I.Griffith and J.J.Purcell 307
Inductance, active, short antenna with. P.K.Rangole and S.S.Midha 462
Influence of gap between laser and optical waveguide. G.A.Hockham and A.B.Sharpe 135
InP field-effect transistors, short-channel, electron dynamics in. T.J.Maloney and J.Frey 115
Insensitive very-low-frequency RC oscillator. G.Wilson 447
Integrated circuits, c.o.s.m.o.s., implementation of 3-valued logic with. H.T.Mouftah and I.B.Jordan 441
Integrated class-B end stage. R.G.van Vliet 317
Integrated silicon anemometer. A.F.P.Van Putten and S.Middelhoek 425
Integration, 3rd-order Kutta, d.d.a. register transfers for. P.W.Baker 223 Errata 368
Integration, video, using charge-coupled devices. J.B.G.Roberts, M.Chesswas and R.Eames 169
Interchannel and intersymbol interference, performance of multilevel d.c.p.s.k. system in the presence of both. V.Castellani, L.L.Presti and M.Pent 111
Interdigital acoustic-surface-wave transducer with low interactions. D.E.Penna, D.W.Parker, F.W.Smith and R.Stevens 489
Interference, radio-frequency, of phase-controlled systems by load partitioning, reduction of. M.C.Vanwormhoudt and D.Baert 472
Interference, zero intersymbol, digital transmission by frequency-shift keying with. K.W.Cattermole 349
Interferometer, Fabry-Perot, beam mode compositions on passage through a. D.H.Ulmer, O.P.Gandhi and R.W.Grow 493
Intermodulation in an f.m. oscillator injection locked by an f.m. signal. G.Endersz 432
Interresonator coupling for overtone monolithic quartz filters. R.Topolevsky and J.W.Burgess 477
Intersymbol and interchannel interference, performance of multilevel d.c.p.s.k. system in the presence of both. V.Castellani, L.L.Presti and M.Pent 111
Inverse random describing function. D.P.Atherton 82
$In_xGa_{1-x}Sb$ ($0 \leqslant X \leqslant 0.16$), Gunn effects in. A.Hojo and Kuru I. 61
Ion implantation in quartz, surface-acoustic-wave guidance produced by. P.Hartemann 110
Ion-implanted m.o.s. transistors, threshold-voltage sensitivity of, due to process variations. W.Schemmert and G.Zimmer 151
Ionospheric characteristic M(3000)F2 from h (f) data, computer procedure for deriving. P.A.Bradley 323
Irradiation, u.v., in aluminium-oxide films, charge storage due to. M.S.I.Rageh, A.E.Guile and D.V.Morgan 429

J

Jump phenomenon in digital filters. L.Kristiansson 14

K

Kirchhoff integration, calculation of the radiation patterns of reflector antennas using, reply to comment on. J.Dijk, L.Coolen and E.J.Maanders 184
Kirchhoff integration, some errors in the calculation of the radiation patterns of reflector antennas, using, comment on. H.A.J.M.Van Hoof 70
Kron's link-at-a-time formula. R.K.Jarrott 405
Kutta integration, 3rd-order, d.d.a. register transfers for. P.W.Baker 223 Errata 368

L

Laser and optical waveguide, influence of gap between. G.A.Hockham and A.B.Sharpe 135

Laser diodes, GaAs-d.h.s., effects of degradation-induced absorption in. D.Schicketanz, J.Wittmann and G.Zeidler 252
Lasers, single heterostructure diode, measurement of the effect of injected carriers on the p-n refractive-index step in. P.R.Selway, G.H.B.Thompson, G.D.Henshall and J.E.A.Whiteaway 453
Lasers, single heterostructure GaAs, far-field emission patterns of. G.D.Henshall and J.E.A.Whiteaway 326
Lasers, single heterostructure GaAs/(GaAl)As, delays and Q switching in, role of optical guiding in critical-temperature behaviour. G.H.B.Thompson, P.R.Selway, G.D.Henshall and J.E.A.Whiteaway 456
Leakage current on the power output of S band TRAPATT oscillators, effect of. J.M.Borrego, R.J.Gutmann and H.J.Geipel 277
Learning networks, digital optimisation of, when applied to pattern recognition of mass spectra. T.J.Stoneham and I.Aleksander 301 Errata 392
Light convertor, GaAs-GaAlAs anti-stokes. H.Beneking, G.Schul, P.Mischel and A.Gattung 346
Lightning-flash counters, testing, with step-function voltages. D.Mackerras 394
limit-cycle oscillations in digital filter, method to suppress. K.M.Wong and R.A.King 55
LiNb, thin-film acousto-optic interaction in. J.M.White, P.F.Heidrich and E.G.Lean 510
$LiNbO_3$-quartz-$LiNbO_3$ composite delay line with zero linear temperature coefficient of delay. M.T.Wauk 109
$LiNbO_3$-quartz-$LiNbO_3$ composite delay line with zero linear temperature coefficient of. M.T.Wauk 109
$LiNbO_3$, yz, surface-quality effects on s.a.w. attenuation on. A.J.Slobodnik,Jun. 233
Linear antenna arrays with broadened nulls. D.Cawsey 291
Linear binary anticodes, further properties of. P.G.Farrell and A.Farrag 340
Linear equations, reordering for minimum infill in sparse-matrix solutions of. A.Raghemi Azar and K.G.Nichols 529
Linear feedback systems, complete disturbance isolation in. J.L.Willems 319
Linear multivariable systems retaining full output feedback, sequential design of. D.H.Owens 79
Linear-network synthesis, some examples demonstrating feasibility of evolutionary approach to. O.P.D.Cutteridge and P.H.Di Mambro 30
Linear scale-factor error and optimum filter bandwidth for correlation accuracy. R.F.Webber and W.H.Delashmit,Jun. 414
Linear-system reduction by continued-fraction expansion about a general point. A.M.Davidson and T.N.Lucas 271
Linear time-invariant multivariable systems, disturbance localisation in. S.L.Shah, D.G.Fisher and D.E.Seborg 513
Lineariser, digital, application of, with cycle counter to thermocouples. Dragan Pantic 19
Liquid-core optical fibres, bandwidth results for. W.S.Davies and G.P.Kidd 406
Liquid-crystal electro-optic display devices, twisted nematic, improved contrast uniformity in. E.P.Raynes 141
Liquid-crystal films, twisted nematic, optical characteristics of. C.H.Gooch and H.A.Tarry 2
Liquid crystal, twisted nematic, electro-optical colour effects by. I.A.Shanks 90
Liquid crystals, new cholesteric, for displays. G.W.Gray, K.J.Harrison, J.A.Nash and E.P.Raynes Errata 60
Lithium niobate, y-cut, a.s.w.-convolver bilinear-coefficient variation on. M.D.Motz and I.M.Mason 83
Load partitioning, reduction of radio-frequency interference of phase-controlled systems by. M.C.Vanwormhoudt and D.Baert 472
Logic, adaptive-, network, sequence recognition with an. M.C.Fairhurst and I.Aleksander 339
Logic circuit, ring-structured adaptable, for the classification of binary vectors. M.J.D.Wilson and I.Aleksander 337
Logic gates, emitter-coupled, subnanosecond-transient detector using. D.G.Whitehead 47
Logic modules, notation describing the fault-related behaviour of. D.G.Brittle 215 Errata 288
Logic modules, placement algorithm for. K.Ueda 206
Logicfree data channels. D.Zissos 362 Errata 408
Loop, circular, low-frequency impedance of a, over a conducting ground. J.R.Wait and K.P.Spies Errata 248
Losses, bending, of multimode optical fibres. A.W.Snyder and D.J.Mitchell 11 Errata 60
Losses, optical, in soda-lime/silica-cladded fibres produced from composite rods. C.E.E.Stewart and P.W.Black 53
Lossy waveguides, numerical solution of: t.l.m. computer program (Computer Program Description). S.Akhtarzad and P.B.Johns (Computer-program description) 309
Loudness ratings, new definitions for. D.L.Richards and J.Hutter 403
Low-attenuation properties of corrugated rectangular waveguide. A.M.B.Al-Hariri, A.D.Olver and P.J.B.Clarricoats 304
Low-frequency impedance of a circular loop over a conducting ground. J.R.Wait and K.P.Spies Errata 248
Low-frequency noise in GaAs Schottky-gate f.e.t.s.. J.Graffeuil and J.Caiminade 266
Low-frequency noise in incandescent tungsten filaments. E.J.P.May and H.M.Aniagyei 250 369
Low-frequency noise in incandescent tungsten filaments, comment on. D.A.Bell 368 369
Low/high-profile TRAPATT structure. H.Goronkin 400
Low-loss glass for optical transmission. G.R.Newns, K.J.Beales and W.J.Duncan 201
Low-loss optical glass fibre with Al_2O_3-SiO_2 core. S.Kobayashi, H.Nakagome, N.Shimizu, H.Tsuchiya and T.Izawa 410
Low-loss plastics-cladding fibre. K.Yoshimura, T.Nakahara, A.Tsukamoto and A.Isomura 534
Low-noise i.f. amplifier for microwave mixers, parametric upconvertor as. O.J.Downing, F.O.M.Bennewitz and J.G.Gardiner 138
Low-noise indium-phosphide amplifiers, computer modelling of. J.E.Sitch 74
Low-voltage punchthrough injection structure. D.Delagebeaudeuf 166
Lumped-element circulator, bidirectional thin-film. M.Kitlinski 66
Lyapunov's second method, improvement of continuous-gradient identification techniques by. A.J.Udink Ten Cate 474

M

M.O.S.-transistor threshold-voltage measurement, simple method of. W.Marciniak and M.Rusek 202
M.O.S. transistors, ion-implanted, threshold-voltage sensitivity of, due to process variations. W.Schemmert and G.Zimmer 151
m sequence generation, high-speed. J.T.Harvey 480
Machines sequentielles asynchrones fonctionnant en mode appel/reponse (Asynchronous sequential machines with request/acknowledge operating mode). M.Courvoisier and P.Azema 8
Magnetic-delay-line processor, pulse compression using the. T.W.Cole 498
Magnetic-tape recording, high-density digital, phase-distortion compensator for. B.G.Taylor 492
Masers, comb-type slow-wave structure for travelling-wave. E.L.Kollberg 249
Matching, mode-, solutions of microstrip problems, relative convergence in. H.Hofmann 126
Mathematical model with minimum number of independent coefficients for transistors for high frequencies. E.Faldella and G.Iuculano 26
Matrices, large sparse, and dynamical systems, numerical test of stability of. V.Zakian and C.Papaconstantinou 503
Matrix, companion, algorithm for determining the power of the, for multivariable systems. B.Maione and F.Torelli 253
Matrix patterns, basic T, for 2-port linear transformation networks in the real domain. J.Glover 495
Matrix, sparse-, solutions of linear equations, reordering for minimum infill in. A.Raghemi Azar and K.G.Nichols 529
Measurement of attenuation and change of refractive index due to water vapour in the atmosphere at 890 GHz. R.J.Batt, H.L.Bradley and D.J.Harris 470
Measurement of the effect of injected carriers on the p-n refractive-index step in single heterostructure diode lasers. P.R.Selway, G.H.B.Thompson, G.D.Henshall and J.E.A.Whiteaway 453
Measurements on waveguide properties of GeO_2-SiO_2-cored optical fibres. P.W.Black, J.Irven, K.Byron, I.S.Few and R.Worthington 239
Measurements, waveguide attenuation, at 890 GHz. R.J.Batt, A.Doswell and D.J.Harris 145
Meilleure approximation pour la determination des frequences de resonance des resonateurs dielectriques cylindriques (Best approximation for design of natural resonance frequencies of microwave dielectric disc resonators). Y.Garault and P.Guillon 505
Memory, functional, flip-flops in. L.A.M.Bennett 177
Mesa p^+-n-n^+ avalanche diodes, numerical analysis of electric field inside. I.Costea and D.Dascalu 129
Mesh-star transformation. V.V.Bapeswara Rao and V.K.Aatre 73
Method for weighted charge summation un bucket-brigade circuits. V.Szekely 418
Method of improving tuning range obtained from a varactor-tuned Gunn oscillator. C.S.Aitchison 94
Method of phase-modulating signals in optical fibres: application to optical-telemetry systems. D.E.N.Davies and S.Kingsley 21
Method to suppress limit-cycle oscillations in digital filter. K.M.Wong and R.A.King 55
Microscope, X ray scanning pinhole. M.Luukkala 481
Microslotline, new method for measuring dielectric properties of liquids with a. Y.Druelle, J.Citerne and Raczy L. 117
Microstrip directional couplers, high-directivity. G.Haupt and H.Delfs 142
Microstrip disc resonators, shielded rectangular. R.Jansen 299
Microstrip problems, relative convergence in mode-matching solutions of. H.Hofmann 126
Microstrip, simple method for the calculation of the characteristic impedance of. S.John and P.Arlett 188
Microwave dielectric disc resonators, best approximation for design of natural resonance frequencies of. Y.Garault and P.Guillon 505
Microwave filter, narrowband, using exponential lines. R.T.Irish 302
Microwave frequencies, generation of reflection-coefficient standards of any value by means of a 3-port coaxial junction at. D.Woods 379
Microwave Hall-mobility measurements on vanadium bronze $V_2O_5(Na_{0.33}\ V_2O_5$ and $CU_{0.0083}\ V_2O_5)$. M.M.Sayed and J.H.Perlstein 178 Errata 288
Microwave measurements, swept-, frequency markers providing resolution of 1 kHz for. W.J.R.Hoeffer and G.R.Painchaud 123
Microwave mixers, parametric upconvertor as low-noise i.f. amplifier for. O.J.Downing, F.O.M.Bennewitz and J.G.Gardiner 138
Microwave oscillations, high-efficiency, that use new 4-layer structure. B.Culshaw and R.A.Giblin 27
Microwave power, continuous monitor of dangerous levels of. Hannah S., H.Hartnagel and J.T.Kennair 274
Microwave radiometric measurements of the temperature inside a body. B.Enander and G.Larson 317
Microwave transistors, diffused and ion-implanted, comparison of noise parameters of. S.Ludvik and P.Froess 40
Miller long-duration sweep generator. D.Z.Danilović, D.I.Veselinović and M.V.Sobajić 152
Milliwatt calorimeter for the 90-140 GHz waveguide band. N.J.Keen 384
Mine winder, optimisation of: state-constrained minimum-energy problem. D.H.Owens and J.B.Edwards 10
Mixers, image-cancelling, at 2 GHz. O.Palamutcuoglu, J.G.Gardiner and D.P.Howson 104
Mobile radio, u.h.f., field-diversity antenna for. J.D.Parsons 91
Mobility and carrier concentration, simple empirical relationship between. C.Hilsum 259
Mode conversion due to tilts in multimode optical fibre. P.L.Chu 459
Mode conversion in surface-acoustic-wave reflective arrays. F.G.Marshall and E.G.S.Paige 137
Mode-conversion levels, radiation method for the measurement of. P.J.B.Clarricoats, A.D.Olver and C.Parini 525
Model atmospheres, phase variations at millimetric wavelengths on an Earth-space path through. D.M.Willis 281
Model of intense convective rain cells for estimating attenuation on terrestrial millimetric radio links. B.N.Harden, J.R.Norbury and W.J.K.White 483
Modes, rectangular-ridge vibrational. T.M.Sharon, A.A.Maradudin and S.L.Cunningham 229
Modifications of Tarmy-Ghausi active filter. J.Mulawka and M.Bialko 380
Modulation, depletion-region-width, efficiency enhancement in avalanche diodes by. P.A.Blakey, B.Culshaw and R.A.Giblin 435
Modulator/deflector performance, t.i.r., further comments on. M.T.V.Scibor-Rylski 4
Modulator, ideal frequency. J.O.Voorman 387
Modulators, digital single-sideband. P.M.Terrell and P.J.W.Rayner 257
Modules, logic, placement algorithm for. K.Ueda 206
Monitor, continuous, of dangerous levels of microwave power. Hannah S., H.Hartnagel and J.T.Kennair 274
Monolithic polycrystalline-silicon pressure transducer. J.M.Jaffe 420
Monopole, duoconical. K.A.Al-Badwaihy 199
Monte Carlo method, velocity/field characteristic of $Ga_xIn_{1-x}Sb$ calculated by the. K.Sakai, T.Ikoma, Y.Adachi and H.Yanai 402
Moving-average output interface for digital stochastic computers. A.J.Miller, A.W.Brown and P.Mars 419
Multilevel d.c.p.s.k. system, performance of, in the presence of both interchannel and intersymbol interference. V.Castellani, L.L.Presti and M.Pent 111

Multilevel single-error-correcting codes. P.G.Farrell and Z.Al-Bandar 347 Errata 408
Multiphase oscillator and multivibrator using improved unijunction transistors. K.Daikoku and T.Tamama 523
Multiplexer, sequency-division, fast modulo-number Hadamard transformer for a. E.Insam 343
Multiplexing system for Walsh waves. E.Insam 212
Multiplier, cellular-array negabinary. L.S.Houselander 168
Multiplier, fast b.c.d.. D.P.Agrawal 237 Errata 328 348
Multiplier, fast, negabinary carry-look-ahead adder and. D.P.Agrawal 312 Errata 468
Multivariable-control-system design, dyadic modification to sequential technique for. D.H.Owens 25
Multivariable system, relationship between feedback and the transfer-function matrix of a. R.V.Patel 386
Multivariable systems, algorithm for determining the power of the companion matrix for. B.Maione and F.Torelli 253
Multivariable systems, linear, retaining full output feedback, sequential design of. D.H.Owens 79
Multivariable systems, linear time-invariant, disturbance localisation in. S.L.Shah, D.G.Fisher and D.E.Seborg 513
Multivibrator, multiphase oscillator and, using improved unijunction transistors. K.Daikoku and T.Tamama 523

N

Narrowband microwave filter using exponential lines. R.T.Irish 302
Negabinary carry-look-ahead adder and fast multiplier. D.P.Agrawal 312 Errata 468
Negabinary complex-number multiplier. D.P.Agrawal 502
Negative-impedance transistor, new-surface-controlled. R.F.Haythornthwaite 273
Negative-resistance filters, active lowpass frequency-dependent, exact synthesis of. C.Nightingale and J.M.Rollett 34
Network analysis, resistor-, vertex splitting in. B.R.Myers 124
Network elements, basic 2-terminal, realisation of. Y-F.Lam 276
Network synthesis, linear-, some examples demonstrating feasibility of evolutionary approach to. O.P.D.Cutteridge and P.H.Di Mambro 30
Networks, 2-port linear transformation, in the real domain, basic T matrix patterns for. J.Glover 495
Networks, e.v.c.-a.r.c., analytical realisation of. J.Dunning-Davies and F.W.Stephenson 103
Networks, optical-waveguide connecting. H.F.Taylor 41
Networks, product, traffic capacity of. J.P.Sumner 112
Networks, sensitivity of equivalent. J.Neirynck and P.Van Bastelaer 452
New active-gyrator circuit. H.J.Orchard and A.N.Willson,Jun. 261
New adaptive-signal-processing concept. E.Stern and R.C.Williamson 58
New cholesteric liquid crystals for displays. G.W.Gray, K.J.Harrison, J.A.Nash and E.P.Raynes Errata 60
New definitions for loudness ratings. D.L.Richards and J.Hutter 403
New edge-guided mode isolator using ferromagnetic-resonance absorption. T.Noguchi, Y.Akaiwa and H.Katoh 501
New fast method for generating discrete random numbers with arbitrary frequency distributions. A.J.Walker 127
New method for measuring dielectric properties of liquids with a microslotline. Y.Druelle, J.Citerne and Raczy L. 117
New method for obtaining the optimal Taylor expansions of a Boolean function. A.Thayse 543
New method for producing ideal metal-semiconductor ohmic contacts. T.Sebestyen, H.Hartnagel and L.H.Herron 372
New modal representation of electromagnetic waves supported by horizontal wire above dissipative earth. R.G.Olsen and D.C.Chang 92
New silica-based low-loss optical fibre. D.N.Payne and W.A.Gambling 289
New subnanosecond pulse-generator circuit employing two step-recovery diodes. M.Karadeniz 102 Errata 232
New surface-controlled negative-impedance transistor. R.F.Haythornthwaite 273
New theory of internal Q switching in semiconductor lasers. S.Grundorfer, M.J.Adams and B.Thomas 354 Errata 424
New transformations in signal-flow graphs extended to multi-inputs. I.C.Goknar 228
New type of variable-frequency RC oscillator. A.K.Bandyopadhyay 180
Nodal analysis, treatment of constraint equations in. T.B.M.Neill 320 Errata 368
Noise-control reference waveform, processing gain of surface-acoustic-wave convolver with. D.P.Morgan and J.G.Sutherland 86
Noise immunity for continuous-phase pulse-frequency modulation in the presence of low-intensity noise. S.Bellini and G.Tartara 515
Noise, low-frequency, in GaAs Schottky-gate f.e.t.s.. J.Graffeuil and J.Caiminade 266
Noise, low-frequency, in incandescent tungsten filaments. E.J.P.May and H.M.Aniagyei 250 369
Noise, low-frequency, in incandescent tungsten filaments, comment on. D.A.Bell 368 369
Noise parameters of diffused and ion-implanted microwave transistors, comparison of. S.Ludvik and P.Froess 40
Nonlinear simultaneous equations, powerful 2-part program for solution of. O.P.D.Cutteridge 182
Nonlinearities, single-valued, identification of the Volterra kernels of a process containing. R.V.Webb 344
Nonrecursive digital filters with crescent ripple. L.G.Cuthbert 397
Nonreflecting broadband capacitive termination for thin-wire antennas. B.D.Popovic and M.B.Dragovic 314
Normally-off m.e.s.f.e.t. with fast switching behaviour. E.Kohn 505
Notation describing the fault-related behaviour of logic modules. D.G.Brittle 215 Errata 288
Novel technique of making graded-refractive-index slab waveguides. Y.C.Cheng and W.D.Westwood 315
Novel wideband frequency divider employing two step-recovery diodes. M.Karadeniz 283
Nullor representation of variable-frequency RC oscillator. P.Williams 294
Numerical analysis of electric field inside mesa p^+-n-n^+ avalanche diodes. I.Costea and D.Dascalu 129
Numerical solution of lossy waveguides: t.l.m. computer program (Computer Program Description). S.Akhtarzad and P.B.Johns (Computer-program description) 309
Numerical test of stability of large sparse matrices and dynamical systems. V.Zakian and C.Papaconstantinou 503

O

Obliquity factor for radiation from solid-state laser. L.Lewin 134
Ohmic contacts, new methods for producing ideal metal-semiconductor. T.Sebestyen, H.Hartnagel and L.H.Herron 372
Operation of 6 GHz F.E.T. amplifier at reduced ambient temperature. P.Bura 181
Optical Barker codes. P.S.Moharir and A.Selvarajan 154
Optical characteristics of twisted nematic liquid-crystal films. C.H.Gooch and H.A.Tarry 2
Optical fibre, multimode, mode conversion due to tilts in. P.L.Chu 459
Optical, fibre, new doubly clad, anomalous dispersion of. S.Kawakami and S.Nishida 38
Optical fibre, new silica-based low-loss. D.N.Payne and W.A.Gambling 289
Optical fibre, radially inhomogeneous, propagation characteristics of. G.L.Yip and Y.H.Ahmew 37
Optical fibre, self-focusing, excitation of, by Gaussian beam. S.Nemoto and G.L.Yip 150
Optical-fibre waveguide, water-free silica-based preparation of. D.N.Payne and W.A.Gambling 335
Optical-fibre waveguide with a single-crystal core. J.L.Stevenson and R.B.Dyott 449
Optical fibres and the Goos-Hanchen shift. W.A.Gambling, D.N.Payne, H.Matsumura and M.Medlicott 99
Optical fibres, liquid-core, bandwidth results for. W.S.Davies and G.P.Kidd 406
Optical fibres, liquid-filled, significance of leaky rays in. W.S.Davies 426
Optical fibres, method of phase-modulating signals in: application to optical-telemetry systems. D.E.N.Davies and S.Kingsley 21
Optical fibres, multimode cladded, pulse dispersion for single-mode operation of. W.A.Gambling, D.N.Payne and H.Matsumura 148
Optical fibres, rays and modes in. L.B.Felsen 95
Optical glass fibre, low-loss, with Al_2O_3-SiO_2 core. S.Kobayashi, H.Nakagome, N.Shimizu, H.Tsuchiya and T.Izawa 410
Optical guiding, role of, in critical-temperature behaviour, delays and Q switching in single heterostructure GaAs/(GaAl)As lasers. G.H.B.Thompson, P.R.Selway, G.D.Henshall and J.E.A.Whiteaway 456
Optical losses in soda-lime/silica-cladded fibres produced from composite rods. C.E.E.Stewart and P.W.Black 53
Optical properties of sodium-borosilicate glass fibres. C.R.Day, J.E.Midwinter, G.R.Newns, R.W.J.Uffen and R.Worthington 450
Optical-telemetry systems, application to: method of phase-modulating signals in optical fibres. D.E.N.Davies and S.Kingsley 21
Optical transmission, low-loss glass for. G.R.Newns, K.J.Beales and W.J.Duncan 201
Optical-waveguide connecting networks. H.F.Taylor 41
Optical waveguide, influence of gap between laser and. G.A.Hockham and A.B.Sharpe 135
Optical waveguides, sandwich-ribbon. P.J.R.Laybourn and C.A.Millar 175
Optimal signalling of demand in a demand-assigned multiple-access communication system. J.B.Anderson 270
Optimisation, network, in the frequency domain, gradients of a performance index arising from. T.Matsumoto 263
Optimisation of antenna gain for earth coverage from geostationary satellite. P.J.Wood and A.Boswell 227
Optimisation of digital filters in the discrete space of coefficients. R.Boite, H.Dubois and H.Leich 179
Optimisation of digital learning networks when applied to pattern recognition of mass spectra. T.J.Stoneham and I.Aleksander 301 Errata 392
Optimisation of mine winder: state-constrained minimum-energy problem. D.H.Owens and J.B.Edwards 10
Optimum frequency multiplication with resistive diodes. W.M.Van Loock 158
Optimum packet size in a packet-switched data network. J.C.Majithia and R.Bhar 191 Errata 268
Oscillation, S band TRAPATT, effect of leakage current on the power output of. J.M.Borrego, R.J.Gutmann and H.J.Geipel 277
Oscillation, structural, in a cholesteric-nematic mixture. J.C.Varney and L.E.Davis 331
Oscillations, limit-cycle, in digital filter, method to suppress. K.M.Wong and R.A.King 55
Oscillator, current-controlled. R.Sharma and T.R.Viswanathan 466
Oscillator, f.m., injection locked by an f.m. signal, intermodulation in an. G.Endersz 432
Oscillator for 2 mm waveband. A.H.W.Beck and C.J.Caldwell-Nichols 171
Oscillator, insensitive very-low-frequency RC. G.Wilson 447
Oscillator, single-diode 0.5 kW TRAPATT. C.O.G.Obah, E.Benko, T.A.Midford, H.C.Bowers and P.Y.Chao 430
Oscillator, variable-frequency RC, new type of. A.K.Bandyopadhyay 180
Oscillator, variable-frequency RC, nullor representation of. P.Williams 294
Oscillators, 10 μm-long transferred-electron, bias-dependent oscillations in. H.L.Grubin 371
Oscillators, avalanche-diode, effect of velocity/field characteristics on the operation of. B.Culshaw and R.A.Giblin 285
Oscillators, frequency-stable pulsed Gunn. E.D.Bullimore, B.J.Downing and F.A.Myers 220
Oscillators, Gunn, temperature compensation of. R.Stevens and F.A.Myers 463
Oscillators, high-efficiency InP transferred-electron. D.J.Colliver, L.D.Irving, J.E.Pattison and H.D.Rees 221
Overlength modes of InP transferred-electron devices. D.Jones and H.D.Rees 234

P

P.C.M. counter-coder principle for segmented A law. T.A.Ramstad and S.Andresen 77
p-n junctions, generation/recombination of carriers in. D.V.Morgan and P.Ashburn 85
p-n junctions, negatively bevelled high-voltage, experimental verification of inhomogeneous field distribution in, by means of photomultiplication. M.Bakowski 292
p-n refractive-index step in single heterostructure diode lasers, measurement of the effect of injected carriers on the. P.R.Selway, G.H.B.Thompson, G.D.Henshall and J.E.A.Whiteaway 453
Parameter sensitivity functions, technique for direct evaluation of. E.H.T.El-Shirbeeny, D.J.Murray-Smith and D.J.Winning 530
Parametric amplification of acoustic surface waves on CdS. G.Bastide, G.Sagnes and M.Rouzeyre 442
Parametric amplifier, broadband cryogenic, operating at 11.6 GHz. J.Thirlwell, J.McPherson and R.R.Bell 329
Parametric upconvertor as low-noise i.f. amplifier for microwave mixers. O.J.Downing, F.O.M.Bennewitz and J.G.Gardiner 138
Passband and stopband exhibiting equiripple behaviour, class of transfer functions with finite stopband attenuation with both. C.Nightingale 381
Pattern recognition of mass spectra, optimisation of digital learning networks when applied to. T.J.Stoneham and I.Aleksander 301 Errata 392
Performance, comparative, of equal-valued-capacitor active RC structures. F.W.Stephenson Errata 524

Performance of a differential coincidence-type self bit synchroniser at low s.n.r.. N.B.Chakrabarti and R.Gangopadhyay 190
Performance of multilevel d.c.p.s.k. system in the presence of both interchannel and intersymbol interference. V.Castellani, L.L.Presti and M.Pent 111
Permutation-decodable binary cyclic codes. P.W.Yip, S.G.S.Shiva and E.L.Cohen 467
Perturbation methods in numerical s plane analysis. R.K.Jarrott 260
Phase-controlled systems by load partitioning, reduction of radio-frequency interference of. M.C.Vanwormhoudt and D.Baert 472
Phase-distortion compensator for high-density digital magnetic-tape recording. B.G.Taylor 492
Phase-interpolation locking: new technique for beam-steered active antennas. A.L.Cullen 81
Phase-lock-loop performance, improved, at medium to low s.n.r.. J.D.Daley 365
Phase-modulating signals, method of, in optical fibres: application to optical-telemetry systems. D.E.N.Davies and S.Kingsley 21
Phase shifter, ferrite, control circuit for. T.P.Pulford, R.J.Risk and C.D.Watkins 194
Phase shifter with high amplitude accuracy. G.Dehmel and D.Lukoschus 22
Phase variations at millimetric wavelengths on an Earth-space path through model atmospheres. D.M.Willis 281
Photochromic effect in impurity-doped PLZT ceramics. K.Tanaka and Y.Hamakawa 350
Photodiodes, avalanche, characterisation of, having nearly-unilateral-carrier multiplication. K.Mouthaan and R.M.Snoeren 118
Photomultiplication, experimental verification of inhomogeneous field distribution in negatively bevelled high-voltage p-n junctions by means of. M.Bakowski 292
Physical-optics diffraction coefficients for a paraboloid. W.V.T.Rusch 358
Picosecond mode delays in gradient-refractive-index fibres. F.P.Kapron 235
Picosecond mode delays in gradient-refractive-index fibres, comment on. R.A.Steinberg 375
Placement algorithm for logic modules. K.Ueda 206
Plotting, continuous automatic, of semiconductors donor concentration over large depths, electrochemical technique for the. T.Ambridge and M.M.Faktor 204
Plug-in fibre-to-fibre coupler. M.L.Dakss and A.Bridger 280 Errata 392
Pole assignment in single-input systems with output feedback, direct method for. H.Seraji 243
Polycrystalline films, thin, of CoO and CoO(Li), switching in. B.Lalevic, N.Fuschillo, W.Wang and B.Kuliyeg 65
Polyethylene, relation between pre-exponential factor and activation energy in dark conductivity of. G.Sawa, M.Ieda and M.Kitagawa 50 Errata 140
Power amplification at gigahertz frequencies, vertical m.o.s. transistor geometry for. T.M.S.Heng and H.C.Nathanson 490
Powerful 2-part program for solution of nonlinear simultaneous equations. O.P.D.Cutteridge 182
Poynting's vector and the wavefronts near a plane conductor. E.-G.Neumann and H.D.Rudolph 446
Pre-exponential factor and activation energy in dark conductivity of polyethylene, relation between. G.Sawa, M.Ieda and M.Kitagawa 50 Errata 140
Preparation of water-free silica-based optical-fibre waveguide. D.N.Payne and W.A.Gambling 335
Pressure transducer, monolithic polycrystalline-silicon. J.M.Jaffe 420
Probability-density function of output of single-bit crosscorrelator for detecting Gaussian reflections in noise. J.E.Howard 71 Errata 248
Probe technique, a.c.-coupled, for very-low-frequency operation. R.W.J.Barker and B.L.Hart 336
Processing concept, adaptive-signal-, new. E.Stern and R.C.Williamson 58
Processing gain of surface-acoustic-wave convolver with noise-corrupted reference waveform. D.P.Morgan and J.G.Sutherland 86
Product network as a traffic concentrator. J.P.Sumner 436
Progammable cellular array for sequential-machine realisation. E.W.Page 413
Propagation characteristics of radially inhomogeneous optical fibre. G.L.Yip and Y.H.Ahmew 37
Propagation, electromagnetic, along contacting dielectric tubes. J.A.Arnaud 269
Propagation in two circular coaxial waveguides. I.I.Rabinowitz and J.A.Staniforth 415 Errata 468
Pseudorandom numbers, uniformly distributed, fast generation of, with floating-point representation. A.J.Walker 533
Pulse compression using the magnetic-delay-line processor. T.W.Cole 498
Pulse compressors, reflective s.a.w., without external filtering, sidelobe reduction in. D.W.Bakken and P.C.Meyer 278
Pulse dispersion for single-mode operation of multimode cladded optical fibres. W.A.Gambling, D.N.Payne and H.Matsumura 148
Pulse-frequency modulation in the presence of low-intensity noise, noise immunity for continuous-phase. S.Bellini and G.Tartara 515
Pulse-generator circuit, new subnanosecond, employing two step-recovery diodes. M.Karadeniz 102 Errata 232
Pulse generator, variable-, widerange. F.Heutink 57 Errata 208
Pulsed Gunn-diode oscillator: 40 W at 16 GHz. R.Stevens, D.Tarrant and F.A.Myers 531
Punchthrough injection structure, low-voltage. D.Delagebeaudeuf 166
Pyroelectric thermal image tube. H.A.H.Boot and J.G.Castledine 452
Pyroelectric vidicon, hard-vacuum: suitable materials. R.Watton, G.R.Jones and C.Smith 469

Q

Q switching and delays in single heterostructure GaAs/(GaAl)As lasers, role of optical guiding in critical-temperature behaviour. G.H.B.Thompson, P.R.Selway, G.D.Henshall and J.E.A.Whiteaway 456
Q switching, internal, new theory of, in semiconductor lasers. S.Grundorfer, M.J.Adams and B.Thomas 354 Errata 424
Quadrature pairs, digital hardware for approximating to the amplitude of. F.Braun and H.Blaser 255
Quartz filters, overtone monolithic, interresonator coupling for. R.Topolevsky and J.W.Burgess 477
Quartz, surface-acoustic-wave guidance produced by ion implantation in. P.Hartemann 110

R

Radar m.t.i. applications, C.C.D. Chebyshev filter for. J.E.Bounden and M.J.Tomlinson 89
Radiation damage on the contact resistance of GaAs Schottky barriers, role of. P.D.Taylor and D.V.Morgan 428
Radiation method for the measurement of mode-conversion levels. P.J.B.Clarricoats, A.D.Olver and C.Parini 525
Radiation, obliquity factor for, from solid-state laser. L.Lewin 134
Radiation pattern, bidirectional, increased-bandwidth resonant slot array with. M.Orefice 396
Radiation patterns of pyramidal dielectric waveguides. N.Brooking, P.J.B.Clarricoats and A.D.Olver 33
Radiation patterns of reflector antennas, some errors in the calculation of, using Kirchhoff integration, comment on. H.A.J.M.Van Hoof 70
Radiation patterns of reflector antennas using Kirchhoff integration, calculation of the, reply to comment on. J.Dijk, L.Coolen and E.J.Maanders 184
Radiation signature of buried line radiators. A.P.Anderson and K.T.Phua 433
Radio links, terrestrial millimetric, model of intense convective rain cells for estimating attenuation on. B.N.Harden, J.R.Norbury and W.J.K.White 483
Radio paths, 4 GHz troposcatter, effect of rain on. M.P.M.Hall and G.R.Dowling 210
Radiometers, solar-tracking, diversity measurements of attenuation at 37GHz with. P.G.Davies and D.L.Croom 482
Radiometric measurements, microwave, of the temperature inside a body. B.Enander and G.Larson 317
Rain-induced crosspolarisation and raindrop canting. G.Brussaard 411
Random numbers, discrete, with arbitrary frequency distributions, new fast method for generating. A.J.Walker 127
Rays and modes in optical fibres. L.B.Felsen 95
Reactance compensation, Gunn-oscillator electronic tuning range and: an experimental result at X band. C.S.Aitchison 488
Reactor-period measurements at low powers. C.H.Vincent 475
Read-only memories, halfadders modulo 2^n. M.A.Bin Nun and M.E.Woodward 213
Realisability of active scattering operator. C.E.D'Attellis 286
Realisation of basic 2-terminal network elements. Y-F.Lam 276
Realisation of generalised far fields by reflector synthesis. A.P.Norris and B.S.Westcott 322
Realisation of stored-program sequential machines. A.M.A.Hussain and M.E.Woodward 246
Receivers, data, implementation of digital matched filters in. G.B.Lockhart 311
Recombination, generation/, of carriers in p-n junctions. D.V.Morgan and P.Ashburn 85
Rectangular-ridge vibrational modes. T.M.Sharon, A.A.Maradudin and S.L.Cunningham 229
Rectangular waveguide, corrugated, low-attenuation properties of. A.M.B.Al-Hariri, A.D.Olver and P.J.B.Clarricoats 304
Reduction of antenna dimensions by dielectric loading. J.R.James, A.J.Schuler and R.F.Binham 263
Reduction of radio-frequency interference of phase-controlled systems by load partitioning. M.C.Vanwormhoudt and D.Baert 472
Reflection coefficient in design of filters by insertion loss, selection of zeros of. J.B.Marinño 133
Reflection-coefficient standards of any value by means of a 3-port coaxial junction at microwave frequencies, generation of. D.Woods 379
Reflective arrays, surface-acoustic-wave, mode conversion in. F.G.Marshall and E.G.S.Paige 137
Reflective s.a.w. pulse compressors without external filtering, sidelobe reduction in. D.W.Bakken and P.C.Meyer 278
Reflector synthesis, realisation of generalised far fields by. A.P.Norris and B.S.Westcott 322
Reflectors, shaped-beam, design considerations for. S.S.Bhave, S.H.Damle and S.M.Prasad 457
Refractive index due to water vapour in the atmosphere at 890 GHz, measurement of attenuation and change of. R.J.Batt, H.L.Bradley and D.J.Harris 470
Refractive-index fibres, gradient-, picosecond mode delays in. F.P.Kapron 235
Refractive-index fibres, gradient-, picosecond mode delays in. R.A.Steinberg 375
Refractive-index profiles for diffused glass fibres. R.B.Dyott and M.C.Brain 131
Refractive-index slab waveguides, graded-, novel technique of making. Y.C.Cheng and W.D.Westwood 315
Relation between pre-exponential factor and activation energy in dark conductivity of polyethylene. G.Sawa, M.Ieda and M.Kitagawa 50 Errata 140
Relationship between feedback and the transfer-function matrix of a multivariable system. R.V.Patel 386
Relative convergence in mode-matching solutions of microstrip problems. H.Hofmann 126
Reliability consideration for distributed chain structure with unreliable nodes. R.J.Morgan 106
Reliability of low-cost CdS/Cu_2S solar cells. M.M.Sayed and L.D.Partain 163
Reordering for minimum infill in sparse-matrix solutions of linear equations. A.Raghemi Azar and K.G.Nichols 529
Reply to comment on calculation of the radiation patterns of reflector antennas using Kirchhoff integration. J.Dijk, L.Coolen and E.J.Maanders 184
Resistance, collisional series, in electron beams. A.H.W.Beck 256
Resolution of 1 kHz for swept-microwave measurements, frequency markers providing. W.J.R.Hoeffer and G.R.Painchaud 123
Resonators, shielded rectangular microstrip disc. R.Jansen 299
Ring-structured adaptable logic circuit for the classification of binary vectors. M.J.D.Wilson and I.Aleksander 337
Ring-sum iterative arrays, fault location and diagnosis procedure in. S.Stevens 195
RLC synthesis, canonical, for a class of immittance functions. S.Tirtoprodjo 388
Role of optical guiding in critical-temperature behaviour, delays and Q switching in single heterostructure GaAs/(GaAl)As lasers. G.H.B.Thompson, P.R.Selway, G.D.Henshall and J.E.A.Whiteaway 456
Role of radiation damage on the contact resistance of GaAs Schottky barriers. P.D.Taylor and D.V.Morgan 428
Root-law circuit using monolithic bipolar-transistor arrays. R.W.J.Barker and B.L.Hart 439

S

S.A.W. attenuation on yz $LiNbO_3$, surface-quality effects on. A.J.Slobodnik,Jun 233
s plane analysis, numerical, perturbation methods in. R.K.Jarrott 260
Sandwich-ribbon optical waveguides. P.J.R.Laybourn and C.A.Millar 175
Satellite communication at 11.6 GHz, site-diversity advantage for. J.E.Allnutt and J.E.Hall 527
Satellite communication, subjective evaluation of single-channel-per-carrier frequency-modulated system for. R.J.Kernot and B.G.Evans 173
Satellite, geostationary, optimisation of antenna gain for earth coverage from. P.J.Wood and A.Boswell 227
Scattering of acoustic surface waves from periodic grating filters. O.W.Otto and R.D.Weglein 383
Scattering operator, active, realisability of. C.E.D'Attellis 286

Schottky-barrier IMPATT diodes, GaAs 50 GHz. T.Watanabe, H.Kodera and M.Migitaka 7
Schottky barriers, GaAs, role of radiation damage on the contact resistance of. P.D.Taylor and D.V.Morgan 428
Schottky diode, using a, in detecting and mixing at 30 THz. M.Pyee, A.Clairon and J.Auvray 500
Schottky-gate f.e.t.s., GaAs, low-frequency noise in. J.Graffeuil and J.Caminade 266
Second-order approximation for the design of broadband couplers using nonuniform lines. Y.Garault and J.P.Villotte 514
Selection of zeros of reflection coefficient in design of filters by insertion loss. J.B.Marinño 133
Self-focusing optical fibre, excitation of, by Gaussian beam. S.Nemoto and G.L.Yip 150
Semiconducting films for acoustoelectric amplification, improvement of. J.Henaff and M.Le Contellec 49
Semiconductor-device analysis, two-dimensional particle models in. R.W.Hockney, R.A.Warriner and M.Reiser 484
Semiconductor devices, two-dimensional finite element simulation of. J.J.Barnes and R.J.Lomax 341
Semiconductor donor concentration over large depths, electrochemical technique for the continuous automatic plotting of. T.Ambridge and M.M.Faktor 204
Semiconductor lasers, new theory of internal Q switching in. S.Grundorfer, M.J.Adams and B.Thomas 354 Errata 424
Semiconductor, metal-, ohmic contacts, new method for producing ideal. T.Sebestyen, H.Hartnagel and L.H.Herron 372
Semiconductor switching device using improved unijunction transistors. M.Sakaue and K.Daikoku 497
Sensitivity considerations of Smith's method for time-delay systems. B.Garland and J.E.Marshall 308
Sensitivity functions, parameter, technique for direct evaluation of. E.H.T.El-Shirbeeny, D.J.Murray-Smith and D.J.Winning 530
Sensitivity of equivalent networks. J.Neirynck and P.Van Bastelaer 452
Sequence recognition with an adaptive-logic network. M.C.Fairhurst and I.Aleksander 339
Sequency-division multiplexer, fast modulo-number Hadamard transformer for a. E.Insam 343
Sequential circuits, algebraic analysis of. B.J.L.Saxby 421
Sequential design of linear multivariable systems retaining full output feedback. D.H.Owens 79
Sequential logic, application of the Boolean-difference technique to. A.C.Prior and R.G.Bennetts 486
Sequential-machine realisation, programmable cellular array for. E.W.Page 413
Sequential machines, computer program for s.p. partitions of (Computer Program Description). A.E.A.Almaini and M.E.Woodward (Computer-program description) 445
Sequential machines, stored-program, realisation of. A.M.A.Hussain and M.E.Woodward 246
Sequential, synchronous, machines with request/acknowledge operating mode (Machines sequentielles asynchrones fonctionnant en mode appel/reponse). M.Courvoisier and P.Azema 8
Shielded rectangular microstrip disc resonators. R.Jansen 299
Short antenna with active inductance. P.K.Rangole and S.S.Midha 462
Short-circuited slot, TEM waveguide coupling in presence of. G.A.Hockham 62
Shutter, and colour filter, electro-optical fast-switching twisted nematic. E.P.Raynes and I.A.Shanks 114
Sidelobe reduction in reflective s.a.w. pulse compressors without external filtering filtering, sidelobe reduction in. D.W.Bakken and P.C.Meyer 278
Signal-flow graphs extended to multi-inputs, new transformations in. I.C.Goknar 228
Signal processing, class of nonorthogonal transformations for. R.C.French and R.F.Mitchell 78
Signal-processing concept, adaptive-, new. E.Stern and R.C.Williamson 58
Significance of leaky rays in liquid-filled optical fibres. W.S.Davies 426
Silicon anemometer, integrated. A.F.P.Van Putten and S.Middelhoek 425
Silicon, electron-drift-velocity measurements in, at high temperatures and their empirical relation to electric field. C.Canali, G.Majni, R.Minder and G.Ottaviani 523
Silicon IMPATT cascaded amplifier: 6 W (c.w.) at 9.6 GHz. P.W.Braddock, R.D.Hodges and R.Genner 538
Silicon IMPATT diodes, epitaxially grown double-drift, at 60 to 90 GHz. A.M.Howard, D.J.Smith and J.J.Purcell 443
Simple circuit for computing $(x^2 + y^2)^{1/2}$. J.S.C.Tan 455
Simple empirical relationship between mobility and carrier concentration. C.Hilsum 259
Simple method for calculation of the characteristic impedance of microstrip. S.John and P.Arlett 188
Simple method of m.o.s.-transistor threshold-voltage measurement. W.Marciniak and M.Rusek 202
Simple technique for displaying periodically jittered binary waveforms. Del Monte H.W. 52 Errata 164
Simulation, two-dimensional finite element, of semiconductor devices. J.J.Barnes and R.J.Lomax 341
Simultaneous equations, nonlinear, powerful 2-part program for solution of. O.P.D.Cutteridge 182
Single-diode 0.5 kW TRAPATT oscillator. C.O.G.Obah, E.Benko, T.A.Midford, H.C.Bowers and P.Y.Chao 430
Single-sideband modulators, digital. P.M.Terrell and P.J.W.Rayner 257
Singular perturbation methods in the design of observers and stabilising feedback controllers for multivariable linear systems. B.Porter 494
Sinusoidal signals, determination of frequency response direct from crosscorrelation functions of, comment on. W.F.Lovering 259 330
Sinusoidal signals, determination of system frequency response direct from cross-correlation functions of. J.D.Lamb 176 330
Site-diversity advantage for satellite communication at 11.6 GHz. J.E.Allnutt and J.E.Hall 527
Site shielding for earth-station antennas. M.A.Streete and D.H.Shinn 120 Errata 248
Slot array, increased-bandwidth resonant, with bidirectional radiation pattern. M.Orefice 396
Solar cells, low-cost CdS/Cu_2S, reliability of. M.M.Sayed and L.D.Partain 163
Solid-state laser, obliquity factor for radiation from. L.Lewin 134
Solution of 6-component electromagnetic fields in three space dimensions and time by the t.l.m. method. S.Akhtarzad and P.B.Johns 535
Solution of the coupled-mode equations in terms of redefined even- and odd-mode waves. B.J.Orth and R.A.Speciale 423
Some errors in the calculation of the radiation patterns of reflector antennas, using Kirchhoff integration, comment on. H.A.J.M.Van Hoof 70
Some examples demonstrating feasibility of evolutionary approach to linear-network synthesis. O.P.D.Cutteridge and P.H.Di Mambro 30
Some new results on binary linear block codes. A.A.Hashim and A.G.Constantinides 31
Spectral analyser, real-time, 16-channel surface-acoustic-wave grating-filter bank for. J.Melngailis and G.T.Flynn 107
Spectrometer, absorption e.p.r., decreasing f.m. noise in. G.C.M.Meijer 29
Speech-analysis/synthesis, variable-frame-rate coding scheme for. J.N.Holmes 101 Errata 248
Spurious coupling between length-weighted transducers acoustically connected by means of a multistrip coupler. A.J.Devries 172
Stabilité globale d'un systeme du premier ordre commande par thyristors (Stability of 1st-order thyristor-bridge control system). M.S.Ismail and P.Bertrand 75
Stability analysis of a particular class of stochastic system. J.L.Willems 537
Stability, feedback, of open-loop unstable systems: contraction-mapping approach. D.H.Owens 238 Errata 348
Stability of large sparse matrices and dynamical systems, numerical test of. V.Zakian and C.Papaconstantinou 503
State-space synthesis, improved algorithm for. H.Singh and M.Lal 268
Statische Kennlinien von M.O.S.-Feldeffekt-Transistoren im ohmschen und Sattigungsbereich (Current/voltage characteristics of m.o.s. field-effect transistors in the linear and saturation region). H.Schwab 356
Statistical circuit analysis, efficient. K.H.Leung and R.Spence 360
Step-function voltages, testing lightning-flash counters with. D.Mackerras 394
Step-recovery diodes, new subnanosecond pulse-generator circuit employing two. M.Karadeniz 102 Errata 232
Stochastic system, stability analysis of a particular class of. J.L.Willems 537
Stopband attenuation, finite, with both passband and stopband exhibiting equiripple behaviour, class of transfer functions with. C.Nightingale 381
Strain and temperature sensitivity of very-thin low-density tantalum films. Z.H.Meiksin and H.B.Kuo Liang 352
Striplines, symmetrical coupled, explicit expressions for geometrical dimensions of. L.J.P.Linner 45
Structural oscillation in a cholesteric-nematic mixture. J.C.Varney and L.E.Davis 331
Subjective evaluation of single-channel-per-carrier frequency-modulated system for satellite communication. R.J.Kernot and B.G.Evans 173
Subnanosecond-transient detector using emitter-coupled logic gates. D.G.Whitehead 47
Subtractor b.c.d./binary adder/, fast. D.P.Agrawal 121 Errata 232
Sum-cosine window. V.Umapathi Reddy and K.M.Muraleedhara Prabhu 438
Summation, weighted charge, in bucket-brigade circuits, method for. V.Szekely 418
Support, feed- struts, wavelength-sized, double aperture blocking by two. W.V.T.Rusch 296
Surface-acoustic-wave convolver with noise-corrupted reference waveform, processing gain of. D.P.Morgan and J.G.Sutherland 86
Surface-acoustic-wave grating-filter bank, 16-channel for real-time spectral analyser. J.Melngailis and G.T.Flynn 107
Surface-acoustic-wave guidance produced by ion implantation in quartz. P.Hartemann 110
Surface-acoustic-wave multielectrode transducers, high-frequency operation of. H.Engan 395
Surface-acoustic-wave phase shifter using electrical depolarisation. J.L.Gates and R.M.White 231
Surface-acoustic-wave reflective arrays, mode conversion in. F.G.Marshall and E.G.S.Paige 137
Surface-acoustic-wave rejection filters using mode conversion/reconversion. G.Craven and D.M.Lush 218
Surface-quality effects on s.a.w. attenuation on yz $LiNbO_3$. A.J.Slobodnik,Jun. 233
Sweep generator, Miller long-duration. D.Z.Danilović, D.I.Veselinovic and M.V.Sobajić 152
Switch, two-port dipolar. J.Helszajn 46
Switching behaviour, fast, normally-off m.e.s.f.e.t. with. E.Kohn 505
Switching in thin polycrystalline films of CoO and CoO(Li). B.Lalevic, N.Fuschillo, W.Wang and B.Kuliyeg 65
Synchroniser, differential coincidence-type self bit, at low s.n.r., performance of a. N.B.Chakrabarti and R.Gangopadhyay 190
Synchronism slip, detection of, by shortened cyclic block codes. J.D.Martin 327
Synchronous circuits with partial asynchronous operation using clocked flip-flops with d.c. inputs, designing. B.I.Dervisoglu and H.A.Sholl 287
Synthesis of acoustic-surface-wave filters using double electrodes. R.F.Mitchell and D.W.Parker 512
Synthesis of transfer functions by dependent sources. S.Can 283
Synthesis of transfer functions by signal-flow graphs. S.Can 333
Synthesis, speech-analysis/, variable-frame-rate coding scheme for. J.N.Holmes 101 Errata 248
System, linear-, reduction by continued-fraction expansion about a general point. A.M.Davidson and T.N.Lucas 271
Systematic search for optical Barker codes with minimum length. P.S.Moharir and A.Selvarajan 245
Systems, time-varying autonomous, transformation of, to companion form. S.Puri, H.Singh and M.Lal 24

T

T.V. frame-difference elements, evaluation of the time distribution of. L.Arena and F.A.Cassara 205
Tantalum films, very-thin low-density, strain and temperature sensitivity of. Z.H.Meiksin and H.B.Kuo Liang 352
Technique for direct evaluation of parameter sensitivity functions. E.H.T.El-Shirbeeny, D.J.Murray-Smith and D.J.Winning 530
Telecommunication, thermodynamic theory of. J.Gllowacki 35
TEM waveguide coupling in presence of short-circuited slot. G.A.Hockham 62
Temperature and strain sensitivity of very-thin low-density tantalum films. Z.H.Meiksin and H.B.Kuo Liang 352
Temperature compensation of Gunn oscillators. R.Stevens and F.A.Myers 463
Temperature inside a body, microwave radiometric measurements of the. B.Enander and G.Larson 317
Ternary Barker codes. P.S.Moharir 460
Testing lightning-flash counters with step-function voltages. D.Mackerras 394
Theoretical characteristics of transferred-electron amplifiers. H.Hillbrand, H.D.Rees and D.Jones 87
Thermocouples, application of, with cycle counter to thermocouples. Dragan Pantic 19
Thermodynamic theory of telecommunication. J.Gllowacki 35
Thin-film acousto-optic interaction in LiNb. J.M.White, P.F.Heidrich and E.G.Lean 510
Thin-film lumped-element, bidirectional, circulator. M.Kitlinski 66
Threshold voltage measurement, m.o.s.-transistor, simple method of. W.Marciniak and M.Rusek 202
Threshold-voltage sensitivity of ion-implanted m.o.s. transistors due to process variations. W.Schemmert and G.Zimmer 151
Thyristor-bridge control system, 1st-order, stability of. M.S.Ismail and P.Bertrand 75

Time-axis conversion with bucket-brigade delay lines. O.Hansen and D.Rebild 244
Time-delay systems, sensitivity considerations of Smith's method for. B.Garland and J.E.Marshall 308
Time distribution of t.v. frame-difference elements, evaluation of the. L.Arena and F.A.Cassara 205
Time-varying autonomous systems to companion form, transformation of. S.Puri, H.Singh and M.Lal 24
Time-varying systems, decoupling of, using dynamic compensators. N.Viswanadham 366
Tracking sensitivity: an efficient algorithm for linear nonreciprocal circuits. K.-H.Leung and R.Spence 377
Traffic capacity of product networks. J.P.Sumner 112
Transducer, interdigital acoustic-surface-wave, with low interactions. D.E.Penna, D.W.Parker, F.W.Smith and R.Stevens 489
Transducer, single noncontacting capacitance, direct simultaneous displacement and velocity measurement by a. B.E.Jones and A.Behich 376
Transducers, length-weighted, acoustically connected by means of a multistrip coupler, spurious coupling between. A.J.Devries 172
Transducers, surface-acoustic-wave multielectrode, high-frequency operation of. H.Engan 395
Transduction, wedge-wave, by means of interdigital electrodes. M.Cabus, P.E.Lagasse, J.C.Chambers and I.M.Mason 97
Transfer-function matrix of a multivariable system, relationship between feedback and the. R.V.Patel 386
Transfer functions by dependent sources, synthesis of. S.Can 283
Transfer functions, class of, with finite stopband attenuation with both passband and stopband exhibiting equiripple behaviour. C.Nightingale 381
Transfer functions, synthesis of, by signal-flow graphs. S.Can 333
Transferred-electron amplifier, supercritical n^+-n-n^+ GaAs, analytical small-signal model of the. B.Kallback 187
Transferred-electron amplifiers, ambient-temperature effects in. G.S.Hobson Errata 24
Transferred-electron amplifiers, indium-phosphide c.w.. R.M.Corlett, I.Griffith and J.J.Purcell 307
Transferred-electron amplifiers, theoretical characteristics of. H.Hillbrand, H.D.Rees and D.Jones 87
Transferred-electron devices, InP, overlength modes of. D.Jones and H.D.Rees 234
Transferred-electron oscillators, 10 μm-long, bias-dependent oscillations in. H.L.Grubin 371
Transferred-electron oscillators, high-efficiency InP. D.J.Colliver, L.D.Irving, J.E.Pattison and H.D.Rees 221
Transformation, mesh-star. V.V.Bapeswara Rao and V.K.Aatre 73
Transformation of time-varying autonomous systems to companion form. S.Puri, H.Singh and M.Lal 24
Transformations, nonorthogonal, for signal processing, class of. R.C.French and R.F.Mitchell 78
Transient, subnanosecond-, detector using emitter-coupled logic gates. D.G.Whitehead 47
Transistor geometry, vertical m.o.s., for power amplification at gigahertz frequencies. T.M.S.Heng and H.C.Nathanson 490
Transistor improvements using an IMPATT collector. A.M.Winstanley and J.E.Carroll 516
Transistor, m.o.s.-, threshold-voltage measurement, simple method of. W.Marciniak and M.Rusek 202
Transistor, new surface-controlled negative-impedance. R.F.Haythornthwaite 273
Transistors for high frequencies, mathematical model with minimum number of independent coefficients for. E.Faldella and G.Iuculano 26
Transistors, improved unijunction, semiconductor switching device using. M.Sakaue and K.Daikoku 497
Transistors, m.o.s., ion-implanted, threshold-voltage sensitivity of, due to process variations. W.Schemmert and G.Zimmer 151
Transistors, microwave, diffused and ion-implanted, comparison of noise parameters of. S.Ludvik and P.Froess 40
Transistors, punchthrough, current/voltage relations in. P.J.Ward and K.D.Perkins 374
Transmission, millimetre-wavelength, dielectric waveguides for. P.J.B.Clarricoats, A.D.Olver and A.M.B.Al-Hariri 1
TRAPATT oscillator, single-diode 0.5 kW. C.O.G.Obah, E.Benko, T.A.Midford, H.C.Bowers and P.Y.Chao 430
TRAPATT structure, low/high-profile. H.Goronkin 400
Treatment of constraint equations in nodal analysis. T.B.M.Neill 320 Errata 368
Troposcatter radio paths, 4 GHz, effect of rain on. M.P.M.Hall and G.R.Dowling 210
Tropospheric emission and attenuation statistics at 110 GHz. C.J.Gibbins 241
Tungsten filaments, incandescent, low-frequency noise in. E.J.P.May and H.M.Aniagyei 250 369
Tungsten filaments, incandescent, low-frequency noise in, comment on. D.A.Bell 368 369
Tuning range, Gunn oscillator electronic, and reactance compensation: an experimental result at X band. C.S.Aitchison 488
Tuning range obtained from a varactor-tuned Gunn oscillator, method of improving. C.S.Aitchison 94
Two-dimensional finite element simulation of semiconductor devices. J.J.Barnes and R.J.Lomax 341
Two-dimensional particle models in semiconductor-device analysis. R.W.Hockney, R.A.Warriner and M.Reiser 484
Two dual families of nonlinear binary codes. J.M.Goethals 471
Two-port dipolar switch. J.Helszajn 46

U

U.V. irradiation in aluminium-oxide films, charge storage due to. M.S.I.Rageh, A.E.Guile and D.V.Morgan 429
Unequal coupled-mode-velocity C section filters. J.L.Allen and W.J.Barnes 128
Unreliable nodes, reliability consideration for distributed chain structure with. R.J.Morgan 106
Upconvertor, parametric, as low-noise i.f. amplifier for microwave mixers. O.J.Downing, F.O.M.Bennewitz and J.G.Gardiner 138
Utilisation de diodes Schottky comme detecteurs et melangeurs a 30 THz (Using a Schottky diode in detecting and mixing at 30 THz). M.Pyee, A.Clairon and J.Auvray 500
Utilisation factor of a waveguide-fed slot array. M.Sinha and B.N.Das 399

V

V-shaped notched-channel field-effect transistor. T.D.Mok and C.A.T.Salama 478
Vanadium bronze $V_2O_5(Na_{0.33}\ V_2O_5$ and $CU_{0.0083}\ V_2O_5)$, microwave Hall-mobility measurements on. M.M.Sayed and J.H.Perlstein 178 Errata 288
Varactor-tuned Gunn oscillator, method of improving tuning range obtained from a. C.S.Aitchison 94
Variable-frame-rate coding scheme for speech-analysis/synthesis systems. J.N.Holmes 101 Errata 248
Velocity/field characteristic of $Ga_xIn_{1-x}Sb$ calculated by the Monte Carlo method. K.Sakai, T.Ikoma, Y.Adachi and H.Yanai 402
Velocity measurement, direct simultaneous displacement and, by a single noncontacting capacitance transducer. B.E.Jones and A.Behich 376
Vertex splitting in resistor-network analysis. B.R.Myers 124
Vertical m.o.s. transistor geometry for power amplification at gigahertz frequencies. T.M.S.Heng and H.C.Nathanson 490
Video integration using charge-coupled devices. J.B.G.Roberts, M.Chesswas and R.Eames 169

W

Walsh waves, multiplexing system for. E.Insam 212
Wave structure, comb-type slow-, for travelling-wave masers. E.L.Kollberg 249
Waveforms, binary, simple technique for displaying periodically jittered. Del Monte H.W. 52 Errata 164
Wavefront visualisation of acoustic surface waves. J.M.Rouvaen, E.Bridoux and N.Gremillet 297
Wavefronts near a plane conductor, Poynting's vector and the. E.-G.Neumann and H.D.Rudolph 446
Waveguide attenuation measurements at 890 GHz. R.J.Batt, A.Doswell and D.J.Harris 145
Waveguide band, 90-140 GHz milliwatt calorimeter for the. N.J.Keen 384
Waveguide, corrugated rectangular, low-attenuation properties of. A.M.B.Al-Hariri, A.D.Olver and P.J.B.Clarricoats 304
Waveguide coupling, TEM, in presence of short-circuited slot. G.A.Hockham 62
Waveguide, dielectric, attenuation measurement of. R.J.Collier and P.D.White 526
Waveguide-fed dielectric spherical antennas. P.S.Neelakantaswamy and D.K.Banerjee 540
Waveguide-fed slot array, utilisation factor of a. M.Sinha and B.N.Das 399
Waveguide filters using high-impedance mode conversion/reconversion. G.Craven 216
Waveguide, ion-exchanged, acousto-optic diffraction by an acoustic surface wave in an. M.Kondo, Y.Ohta, F.Saito, H.Sasaki, N.Chubachi and K.Koizumi 518
Waveguide junction, admittance of a coaxial-to-circular. M.Razaz and J.B.Davies 324
Waveguide, optical-fibre, with a single-crystal core. J.L.Stevenson and R.B.Dyott 449
Waveguide properties of GeO_2-SiO_2-cored optical fibres, measurements on. P.W.Black, J.Irven, K.Byron, I.S.Few and R.Worthington 239
Waveguides, dielectric, for millimetre-wavelength transmission. P.J.B.Clarricoats, A.D.Olver and A.M.B.Al-Hariri 1
Waveguides, graded-refractive-index slab, novel technique of making. Y.C.Cheng and W.D.Westwood 315
Waveguides, lossy, numerical solution of: t.l.m. computer program (Computer Program Description). S.Akhtarzad and P.B.Johns (Computer-program description) 309
Waveguides, propagation in two circular coaxial. I.I.Rabinowitz and J.A.Staniforth 415 Errata 468
Waveguides, pyramidal dielectric, radiation patterns of. N.Brooking, P.J.B.Clarricoats and A.D.Olver 33
Waveguides, sandwich-ribbon optical. P.J.R.Laybourn and C.A.Millar 175
Wedge-wave transduction by means of interdigital electrodes. M.Cabus, P.E.Lagasse, J.C.Chambers and I.M.Mason 97
Whispering-gallery rays within dielectric circles and spheres. A.W.Snyder and D.J.Mitchell 16
Widerange variable-pulse generator. F.Heutink 57 Errata 208
Winder, mine, optimisation of: state-constrained minimum-energy problem. D.H.Owens and J.B.Edwards 10

X

X ray scanning pinhole microscope. M.Luukkala 481